

High Grade Assays Confirm New Tolmer Gold System Significant alteration zone with shallow quartz sulphide veining

HIGHLIGHTS

- Recent seismic survey mapped several new and untested structures across the historical high-grade Tarcoola Goldfield, and identified key targets for 'repeats' of the Perseverance gold system¹
- During May-July 2024 Barton completed ~10,000m reverse circulation (RC) drilling to validate its structural interpretation, and target further mineralisation in the Perseverance open pit mine²
- New high-grade assay results have confirmed a newly interpreted gold mineralised system at Tolmer, comprised of quartz sulphide veining hosted within broader zones of alteration**
- New significant assay results include:**

Hole ID	Interval (m)		Grade (g/t Au)		Depth (m)	Target Area
TBM0131	2	@	2.55	from	100	Old Flame
TBM0135	7	@	1.60	from	56	Old Flame
TBM0148	9	@	3.92	from	202	Tolmer
TBM0154	1	@	6.20	from	88	Tolmer
TBM0161	4	@	24.6	from	95	Tolmer
TBM0162	5	@	3.15	from	97	Tolmer
TBM0163	2	@	2.71	from	20	Tolmer
TBM0181	14	@	1.41	from	80	Tolmer
TBM0171	3	@	11.6	from	78	Warburton

- Additional Perseverance Mine open pit floor drilling assays outstanding

Barton Gold Holdings Limited (ASX:BGD, FRA:BGD3, OTCQB:BGDFF) (**Barton** or **Company**) is pleased to announce high-grade assays from the Tarcoola Goldfield at the Tarcoola Gold Project (**Tarcoola**) in South Australia.² Assays have now confirmed a new gold mineralised system at Tolmer, comprised of quartz veining within a broader zone of alteration. Further Perseverance Mine assays remain outstanding.

Commenting on the latest Tarcoola exploration drilling results, Barton MD Alexander Scanlon said:

"We are excited to confirm that the first significant test of Tarcoola's new structural model has confirmed a new gold mineralised system at Tolmer. We have also successfully intersected high-grade mineralisation at multiple other targets, demonstrating Tarcoola's broader potential to host multiple shallow, high-grade gold zones.

"We are also awaiting further assay results from the open pit Perseverance Mine, where we are hoping to convert further shallow mineralisation in the pit floor into additional high-grade Resources for a 'Stage 1' operation.

"This is another step toward the realisation of our lower-cost, lower-risk development strategy leveraging our existing processing infrastructure, and we are only just scratching the surface of the broader regional potential."

¹ Refer to ASX announcement dated 28 November 2023

² Refer to ASX announcements dated 3 / 25 July 2024

Tarcoola regional exploration drilling

During March to July 2024 Barton completed a total ~11,250m RC drilling across targets from its latest Tarcoola structural interpretations, including the Perseverance open pit mine and targets to the west.³

Following this drilling, Barton confirmed a JORC Mineral Resources Estimate (MRE) of ~20koz Au @ ~2 g/t Au in the Perseverance Mine's open pit floor, and has now confirmed a new gold mineralised system of quartz veining within a broader zone of alteration at the neighbouring Tolmer target.⁴

Drilling has also intersected gold mineralisation with a significant intercept value above 1 gram-meter (**gm**) and other high-grade results across neighbouring targets including School, Old Flame, and Warburton. Refer to Table 1 below for details of new key regional high-grade drilling results.




Figure 1 – Collar locations and key high-grade intersections from May – July Tarcoola RC drilling

Hole ID	Interval (m)	Grade (g/t Au)	Depth (m)	Target Area
TBM0125	3	@ 1.69	from 22	School
TBM0131	2	@ 2.55	from 100	Old Flame
TBM0132	7	@ 0.90	from 15	Old Flame
TBM0135	7	@ 1.60	from 56	Old Flame
TBM0148	9	@ 3.92	from 202	Tolmer
TBM0154	6	@ 1.12	from 44	Tolmer
<i>and</i>	1	@ 6.20	from 88	Tolmer
TBM0161	4	@ 24.6	from 95	Tolmer
TBM0162	5	@ 3.15	from 97	Tolmer
TBM0163	2	@ 2.71	from 20	Tolmer
TBM0180	6	@ 1.24	from 16	Tolmer
<i>and</i>	11	@ 0.79	from 37	Tolmer
TBM0181	5	@ 1.35	from 45	Tolmer
<i>and</i>	14	@ 1.41	from 80	Tolmer
TBM0171	3	@ 11.6	from 78	Warburton

Refer to JORC Tables 2 and 3 in Appendix for complete details of reported holes from May – July drilling campaign

Table 1 – Key high-grade assays from May – July 2024 Tarcoola regional RC drilling

³ Refer to ASX announcements dated 8 / 22 April and 3 / 25 July 2024

⁴ Refer to ASX announcement dated 3 July 2024 and details herein

New Tolmer gold system

Tolmer assays indicate a gold system characterised by multiple broad zones of alteration containing higher-grade quartz sulphide veining. Assays from ~100m spaced drill lines indicate potential for a zone of continuous high-grade mineralisation, subject to confirmation via further drilling. (see Figure 2).

Barton is currently planning follow up drilling programs later this year, including aircore (AC) and further RC definition drilling, to help define the potential extent of the Tolmer footprint and potential continuity.




Figure 2 - Plan map of Tolmer target with new / historical drill collars and key high-grade assays

Hole ID	Interval (m)	Grade (g/t Au)	Depth (m)	Including
TBM0145	1	@ 2.16	from 79	
and	2	@ 1.29	from 99	1m @ 1.99 g/t Au from 99m
TBM0148	1	@ 1.01	from 103	
and	9	@ 3.92	from 202	2m @ 7.15 g/t Au from 202m
TBM0154	6	@ 1.12	from 44	1m @ 3.67 g/t Au from 46m
and	2	@ 1.16	from 73	
and	1	@ 6.20	from 88	
TBM0161	1	@ 1.27	from 70	
And	4	@ 24.6	from 95	1m @ 83.6 g/t Au from 97m
TBM0162	1	@ 2.44	from 51	
and	1	@ 1.19	from 67	
and	5	@ 3.15	from 97	1m @ 9.00 g/t Au from 99m
TBM0163	3	@ 1.48	from 5	
and	2	@ 2.71	from 20	1m @ 4.43 g/t Au from 21m
and	1	@ 2.34	from 101	
TBM0180	6	@ 1.24	from 16	1m @ 2.89 g/t Au from 18m
and	11	@ 0.79	from 37	2m @ 2.03 g/t Au from 38m
and	1	@ 2.50	from 77	
TBM0181	5	@ 1.35	from 45	
and	14	@ 1.41	from 80	1m @ 3.54 g/t Au from 82m 1m @ 3.40 g/t Au from 89m

Refer to JORC Tables 2 and 3 in Appendix for complete details of reported holes from May – July drilling campaign

Table 2 - Key Tolmer significant intercepts from May – July 2024 Tarcoola regional RC drilling

Shallow high-grade veining within boarder alteration zones

Cross Sections A and B (shown in Figures 3 and 4 below) indicate multiple alteration zones hosting anomalous gold values, with elevated values concentrated around high-grade quartz sulphide veining.

Further drilling is required to establish structural continuity between Sections A and B. Barton is planning a program of AC and RC drilling for later in 2024 to help define the broader footprint of the Tolmer Gold system, and also to follow up other higher-grade results on other May to July 2024 drilling lines.

2024 drilling will also follow up high-grade results from neighbouring targets, and test large-scale regional targets along Tarcoola’s Lake Labyrinth Shear Zone and the neighbouring Tunkillia Gold Project (**Tunkillia**)




Figure 3 (Section A) – Anomalous gold zones and significant intercepts within alteration zones




Figure 4 (Section B) – Anomalous gold zones and significant intercepts within alteration zones

New picture of historical Tarcoola Goldfield emerging

During November 2023 Barton published the results of a seismic survey and new structural interpretation across 10-15km of the historical Tarcoola Goldfield.⁵ This was the first time since discovery (1893) that known historical gold occurrences could be reviewed within a consistent structural framework, and presented a latticework of previously unknown structures hidden under cover. ‘Repeats’ of the high-grade materials mined for ~130 years at Perseverance would offer significant value to Barton’s regional plans.

The drilling informed by this analysis, both within and near the Perseverance Mine, has now provided initial validation of multiple theorised structures, confirmed a ~200% increase in the shallow JORC Mineral Resources Estimate (MRE) in the open pit Perseverance Mine’s floor, and confirmed a new gold mineralised system at Tolmer (see Figures 5 and 6 below for comparison).




Figure 5 – Target structures near Perseverance Mine – as at November 2023³




Figure 6 – Target structures near Perseverance Mine – as at August 2024

⁵ Refer to ASX announcement dated 28 November 2023

Pending assays (Perseverance Mine)

During July 2024 Barton published an updated JORC MRE for the Perseverance Mine, confirming a shallow high-grade deposit of ~20koz @ ~2 g/t Au in the immediate pit floor.⁶ These Mineral Resources are on a fully permitted Mining Lease, and this same mineralisation has previously been processed with high recoveries through Barton’s wholly-owned Central Gawler Mill located ~130km to the northwest.⁷

This mineralisation is of high value for a potential low-cost and low-risk operation leveraging simple logistics and Barton’s fully permitted infrastructure. Barton has also completed another ~900m follow up RC drilling in the mine floor during July 2024 with the objective to grow this MRE.⁸ Assays are pending.




Fig. 7 – Perseverance Mine long Section showing MRE and unclassified mineralised extensions⁶




Figure 8 – Plan view of Perseverance open pit JORC MRE and follow up drilling area (blue box)⁸

⁶ Refer to ASX announcement dated 3 July 2024

⁷ Refer to Prospectus dated 14 May 2021

⁸ Refer to ASX announcement dated 25 July 2024

Ongoing Portable PPB detectORE™ field trials

As part of the May – July 2024 RC drilling program, Barton has applied the detectORE™ technology developed by Portable PPB Pty Ltd for rapid turnaround of preliminary in-field sample analyses. The workflow enables rapid-turnaround (circa 24 - 48hrs) of initial assay results and provides an opportunity to apply low-level gold analysis of drill samples from Barton's mobile field laboratory operated by trained field technicians.

This continues previous trialling and evaluation at several Barton project locations. The trials indicate suitability (within Barton's trial geological settings) for preliminary screening of three metres composite samples, with the results providing a binary determinant for subsequent laboratory (fire assay) analysis on 1 metre intervals.

The ability to rapidly identify zones of potential interest has enabled the real time planning of follow-up drilling whilst the drill rig remains at site, as well as providing significant overall time and cost savings on the logistical and analytical, exploration and G&A expenses associated with early-stage exploration drilling.

Authorised by the Board of Directors of Barton Gold Holdings Limited.

For further information, please contact:

Alexander Scanlon

Managing Director

a.scanlon@bartongold.com.au

+61 425 226 649

Shannon Coates

Company Secretary

cosec@bartongold.com.au

+61 8 9322 1587

Competent Persons Statement

The information in this announcement that relates to Exploration Results for the Tarcoola Gold Project (including drilling, sampling, geophysical surveys and geological interpretation) is based upon, and fairly represents, information and supporting documentation compiled by Mr Marc Twining BSc (Hons). Mr Twining is an employee of Barton Gold Holdings Ltd and is a Member of the Australasian Institute of Mining and Metallurgy Geoscientists (AusIMM Member 112811) and has sufficient experience with the style of mineralisation, the deposit type under consideration and to the activity being undertaken, to qualify as a Competent Person as defined in the 2012 Edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves" (The JORC Code). Mr Twining consents to the inclusion in this announcement of the matters based upon this information in the form and context in which it appears.

About Barton Gold

Barton Gold is an ASX, OTCQB and Frankfurt Stock Exchange listed Australian gold developer targeting future gold production of 150,000oz annually, with **~1.6Moz Au JORC Mineral Resources** (52.2Mt @ 0.94 g/t Au), multiple advanced exploration projects and brownfield mines, and **100% ownership of the only regional gold mill** in the renowned central Gawler Craton of South Australia.*

Tarcoola Gold Project

- Existing brownfield open pit mine within trucking distance of Barton's processing plant
- Under-explored asset with untapped scale potential

Tunkillia Gold Project*

- 1.5Moz Au Mineral Resources (51.3Mt @ 0.91 g/t Au)**
- Initial Scoping Study for 6.5 year, ~130kozpa Au mine**

Infrastructure

- 650ktpa CIP process plant, mine village, and airstrip
- Tarcoola ~40 person lodging to support mine operations
- Tunkillia camp to support dedicated project team



Competent Persons Statement & Previously Reported Information

The information in this announcement that relates to the historic Exploration Results and Mineral Resources as listed in the table below is based on, and fairly represents, information and supporting documentation prepared by the Competent Person whose name appears in the same row, who is an employee of or independent consultant to the Company and is a Member or Fellow of the Australasian Institute of Mining and Metallurgy (AusIMM), Australian Institute of Geoscientists (AIG) or a Recognised Professional Organisation (RPO). Each person named in the table below has sufficient experience which is relevant to the style of mineralisation and types of deposits under consideration and to the activity which he has undertaken to qualify as a Competent Person as defined in the JORC Code 2012 (**JORC**).

Activity	Competent Person	Membership	Status
Tarcoola Mineral Resource (Stockpiles)	Dr Andrew Fowler (Consultant)	AusIMM	Member
Tarcoola Mineral Resource (Perseverance Mine)	Mr Ian Taylor (Consultant)	AusIMM	Fellow
Tarcoola Exploration Results (until 15 Nov 2021)	Mr Colin Skidmore (Consultant)	AIG	Member
Tarcoola Exploration Results (after 15 Nov 2021)	Mr Marc Twining (Employee)	AusIMM	Member
Tunkillia Exploration Results (until 15 Nov 2021)	Mr Colin Skidmore (Consultant)	AIG	Member
Tunkillia Exploration Results (after 15 Nov 2021)	Mr Marc Twining (Employee)	AusIMM	Member
Tunkillia Mineral Resource	Mr Ian Taylor (Consultant)	AusIMM	Fellow
Challenger Mineral Resource	Mr Dale Sims (Consultant)	AusIMM / AIG	Fellow / Member

The information relating to historic Exploration Results and Mineral Resources in this announcement is extracted from the Company's Prospectus dated 14 May 2021 or as otherwise noted in this announcement, available from the Company's website at www.bartongold.com.au or on the ASX website www.asx.com.au. The Company confirms that it is not aware of any new information or data that materially affects the Exploration Results and Mineral Resource information included in previous announcements and, in the case of estimates of Mineral Resources, that all material assumptions and technical parameters underpinning the estimates, and any production targets and forecast financial information derived from the production targets, continue to apply and have not materially changed. The Company confirms that the form and context in which the applicable Competent Persons' findings are presented have not been materially modified from the previous announcements.

Cautionary Statement Regarding Forward-Looking Information

This document may contain forward-looking statements. Forward-looking statements are often, but not always, identified by the use of words such as "seek", "anticipate", "believe", "plan", "expect", "target" and "intend" and statements than an event or result "may", "will", "should", "would", "could", or "might" occur or be achieved and other similar expressions. Forward-looking information is subject to business, legal and economic risks and uncertainties and other factors that could cause actual results to differ materially from those contained in forward-looking statements. Such factors include, among other things, risks relating to property interests, the global economic climate, commodity prices, sovereign and legal risks, and environmental risks. Forward-looking statements are based upon estimates and opinions at the date the statements are made. Barton undertakes no obligation to update these forward-looking statements for events or circumstances that occur subsequent to such dates or to update or keep current any of the information contained herein. Any estimates or projections as to events that may occur in the future (including projections of revenue, expense, net income and performance) are based upon the best judgment of Barton from information available as of the date of this document. There is no guarantee that any of these estimates or projections will be achieved. Actual results will vary from the projections and such variations may be material. Nothing contained herein is, or shall be relied upon as, a promise or representation as to the past or future. Any reliance placed by the reader on this document, or on any forward-looking statement contained in or referred to in this document will be solely at the readers own risk, and readers are cautioned not to place undue reliance on forward-looking statements due to the inherent uncertainty thereof.

* Refer to Barton Prospectus dated 14 May 2021 and ASX announcements dated 4 March and 16 July 2024. Total Barton JORC (2012) Mineral Resources include 824koz Au (26.8Mt @ 0.96 g/t Au) in Indicated and 750koz Au (25.4Mt @ 0.92 g/t Au) in Inferred categories.

JORC Table 1 – Tarcoola Gold Project

Section 1 Sampling Techniques and Data

Criteria	Commentary
<p>Sampling techniques <i>Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc.). These examples should not be taken as limiting the broad meaning of sampling.</i> <i>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</i> <i>Aspects of the determination of mineralisation that are Material to the Public Report. In cases where ‘industry standard’ work has been done this would be relatively simple (e.g. “RC drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay”). In other cases, more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (e.g. submarine nodules) may warrant disclosure of detailed information</i></p>	<p>Sampling during Barton Gold’s RC drill programs at Tarcoola was obtained through reverse circulation (RC) and diamond drilling methods. Historic RC and diamond drilling methods were also used in drilling campaigns completed since the mid-1990s.</p> <p>Rotary air-blast (RAB) and aircore drilling has also been completed. These holes were used to guide interpretation but were not used for previous grade estimations or modelling of the results reported in the accompanying Announcement.</p> <p>The drilling program used a Metzke cone splitter (or similar) attached to the cyclone. One-metre splits were constrained by chute and butterfly valves to derive a 2-4kg split on the cyclone. Samples above 1m depth were not collected.</p> <p>Diamond core for drilling has been sawn in half using an automated core saw. Field duplicates were derived from using quarter core for the designated interval.</p> <p>Historic diamond core has been sawn in half or quarter using a core saw.</p> <p>Historic RC samples were collected using various splitting methods over the project’s history. A splitter was generally used; however, spear samples were taken for a period of time in some holes.</p> <p>The sample preparation for drilling conducted in 2023 and 2024 of the one-metre sampling for Barton Gold’s RC and diamond drill program was conducted by Bureau Veritas (Adelaide) using method FA1 where the 2-3kg split sample received at the laboratory is weighed, dried, crushed to 10mm, pulverized to 75 micron and split to provide a 40g sample for fire assay analysis.</p> <p>The sample preparation of the one-metre sampling for Barton Gold’s 2021 RC drill program was conducted by Intertek Genalysis (Adelaide) using method SP1 where the 2-3kg split sample received at the laboratory is weighed, dried, crushed to 3mm, pulverized to 75 micron and split to provide a 50g sample for fire assay and adequate pulverized material for possible future multi-element analysis.</p> <p>Historically RC and diamond drilling samples were analysed by various laboratories by either fire assay or Aqua Regia digest, detection by atomic absorption spectrometry (AAS) or a Pulverise and Leach (PAL) process. 1 m RC or diamond samples were generally collected.</p>
<p>Drilling techniques <i>Drill type (e.g. core, RC, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc.) and details (e.g. core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc.).</i></p>	<p>The RC drilling by Barton Gold used a face-sampling 5 ¾” RC drilling techniques undertaken by Profile Drilling. Profile Drilling used an air delivery systems comprising primary and auxillary compressor plus booster, delivering nominal air capacities of approximately 1000psi/2000cfm.</p> <p>Historic drilling has taken place over numerous periods since the mid- 1980s as follows:</p> <ul style="list-style-type: none"> • 1987–1989 BHP Gold/Aberfoyle JV (RC and HQ3 DD) • 1991–1994 Queens Road Mines/Grenfell Resources(RC) • 1996–1998 Grenfell Resources (RC, RCD, HQ3 DD) • 2001–2002 AngloGold/Gravity Capital (RC/RCD) • 2008 LIDDS (NQ DD) • 2012 Tunkillia Gold (RC and HQ3 DD) • 2016–2018 Tarcoola Gold (RC).
<p>Drill sample recovery <i>Method of recording and assessing core and chip sample recoveries and results assessed.</i> <i>Measures taken to maximise sample recovery and ensure representative nature of the samples.</i></p>	<p>Drilling recoveries were qualitatively described for each drilled interval in the field database along with an estimation of moisture content. In general recoveries were good in the order of 30-40kg for each one-metre interval of RC drilling and less than 1% of intervals noted any moisture content. Samples submitted to the laboratory were weighed on a dry, as-received basis and reported along with assay results.</p> <p>No relationship between grade and recovery has been identified.</p>

Criteria	Commentary
<p><i>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</i></p>	<p>Drilling recoveries prior to 2012 were not recorded for both RC chips and diamond core. Some earlier reports noted difficult drilling. Grenfell noted that care was taken to maximise recoveries and minimise contamination and wet drilling conditions were not often encountered. AngloGold noted no major problems with drilling conditions.</p> <p>TGL RC drilling programmes noted good recoveries, with weights of 30–40kg achieved in fresh material. Within the weathered zone, sample weights were more variable. Holes collared in the Quaternary overburden yielded poor or no recovery from the upper unconsolidated cover sequence, which does not host gold mineralisation.</p> <p>Diamond core recoveries were recorded by TGL. Local zones of core loss were noted in the oxide zone however core recoveries were generally good.</p> <p>The RC drilling was closely monitored by the site geologist to ensure optimal recovery and that samples were considered representative.</p> <p>Historically, HQ triple tube (HQ3) drilling was used for some holes to maximise core recovery. Re-entry holes were not triple-tubed as they were drilled straight into fresh bedrock. Drilling rates were controlled, and short drill runs were often used through the oxide zone to maximise core recovery.</p>
<p>Logging</p> <p><i>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</i></p> <p><i>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc.) photography.</i></p> <p><i>The total length and percentage of the relevant intersections logged.</i></p>	<p>The RC drilling program electronically logged a number of parameters direct into a database including: Stratigraphy, lithology, weathering, primary and secondary colour, texture, grain size, alteration type-style-intensity and mineralisation type-style-percentage.</p> <p>Logging practices varied over the project's history, however AngloGold attempted to standardize the logging by relogging holes in 2002.</p> <p>Approximately 17,000m of diamond and RC drilling and conversion of historical data into a consistent coding system. Some inconsistency in the logging is evident in the current database, however significant mapping has been completed in the pit which, in conjunction with the logging, provides a sound geological basis to prepare a Mineral Resource estimate.</p> <p>Logging from drilling is generally qualitative in nature.</p> <p>All diamond core and RC drilling has been geologically logged.</p>
<p>Subsampling techniques and sample preparation</p> <p><i>If core, whether cut or sawn and whether quarter, half or all core taken</i></p> <p><i>If non-core, whether riffled, tube sampled, rotary split, etc. and whether sampled wet or dry.</i></p> <p><i>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</i></p> <p><i>Quality control procedures adopted for all subsampling stages to maximise representivity of samples.</i></p> <p><i>Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling.</i></p> <p><i>Whether sample sizes are appropriate to the grain size of the material being sampled.</i></p>	<p>SADME (1964) – Diamond holes were quarter-cored by Grenfell.</p> <p>Aberfoyle (1979–1985) – Samples of open holes TP001–021 were collected in a PVC bag via a cyclone, and then split down to approximately 1.5kg.</p> <p>Newmex Exploration Limited/Tarcoola Gold Ltd (1987–1988) – RC samples from TRC001–TRC025 were collected over 1m intervals via a cyclone with an incorporated splitter.</p> <p>Approximately 3kg was collected for analysis. RC samples from TRC026–TRC138 were collected over 1m intervals and riffle split to collect a sample. The weight of the sample was approximately 2kg.</p> <p>BHP (1987–1989) – RC holes were sampled at 1m intervals with rock chips homogenized via a cyclone before being split and sampled. A 4m composite sample weighing approximately 2.5kg was initially submitted for analysis. The 1m samples were only submitted if the original 4m sample returned a value of >0.5 g/t Au. Diamond core was apparently half-cored, with samples generally taken at 1m intervals.</p> <p>Grenfell (1991–1993) – RC holes were sampled at 1m intervals were collected in full in plastic bags. The plastic bags were rolled several times to help ensure mixing prior to collecting a 1–2kg sample using a short plastic tube inserted diagonally several times into the material. A 4 m composite was initially submitted for analysis. 1m samples were only submitted if the original 4m sample returned a value of >0.3 g/t Au. Diamond core was apparently half-cored, with samples generally taken at 1m intervals.</p> <p>Grenfell (1995–1997) – RC holes were sampled at 1m intervals were collected in full in a plastic bucket, and then poured through a three-tier riffle splitter. Buckets were emptied through the splitter at 0.5m intervals. A 3kg sample was collected in a calico bag for assay, and the remaining sample collected in a large plastic bag. Poor sample recovery was apparently only noted within a small number of drillholes.</p>

Criteria	Commentary
	<p>Diamond core was apparently half-cored, with samples generally taken at 1m intervals.</p> <p>AngloGold (2001–2002) – RC holes were sampled at 1m intervals. Detail surrounding the RC subsampling techniques was not provided to CSA Global. Diamond core was apparently half- cored, with samples generally taken at 1m intervals.</p> <p>Subsampling is performed during the preparation stage according to the assay laboratories' internal protocols.</p> <p>During the RC drilling program two samples were collected from two separate shuts on the cyclone splitter; a three-metre composite sample designated for preliminary analysis at Barton's field laboratory and single metre samples for off-site analysis at a commercial laboratory. Field duplicates to accompany the one metre samples were collected by sampling the residual one metre bags with a weight comparable to the primary sample.</p> <p>To the best of the Competent Persons knowledge, no RC field duplicates were taken prior to 1995. After 1995, field duplicates have generally been inserted in the sample stream at a rate of one in every 20 samples. No data was provided for the AngloGold drilling program however (2001–2002). Results generally give confidence in sampling procedures.</p> <p>Sample sizes are considered to be appropriate to the grain size of the material being sampled.</p>
<p>Quality of assay data and laboratory tests <i>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</i></p> <p><i>For geophysical tools, spectrometers, handheld XRF instruments, etc., the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</i></p> <p><i>Nature of quality control procedures adopted (e.g. standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established.</i></p>	<p>Analytical techniques have varied somewhat over the projects history and are summarised below.</p> <p>SADME (1964) – Diamond holes were sent to Amdel in Adelaide for analysis by Aqua Regia digest flame AAS with a 0.02 detection limit. Any samples returning grades >1 g/t Au were re-assayed by fire assay with an AAS finish.</p> <p>Aberfoyle Exploration (1985–1987) – Samples were submitted to Classic Laboratories in Perth for fire assay using a 50g charge.</p> <p>Newmex Exploration Limited, Tarcoola Gold Limited (1987– 1988) – Samples from TRC001–TRC025 were submitted to Genalysis in Perth for analysis using Aqua Regia digest and AAS finish after roasting to oxidise sulphides. Fire assay was carried out on all samples containing >1 g/t Au determined following Aqua Regia. Samples from TRC026–TRC138 were submitted to Classic Comlabs, Adelaide for analysis by fire assay.</p> <p>BHP Gold (1988–1991) – Samples were submitted to Amdel Laboratories in Adelaide for analysis. The analytical method is not known.</p> <p>Queens Road Mine/Grenfell Resources (1992–1994) – Samples were submitted to Amdel for digest by Aqua Regia (two parts hydrochloric acid to one-part nitric acid), followed by extraction into organic solvent (D.I.B.K.). A 50g subsample was then analysed by AAS with a 0.02 g/t Au detection limit.</p> <p>Grenfell Resources (1996–1998) – Earlier samples were submitted to Amdel for analysis by Aqua Regia digest with AAS finish. Any samples returning grades >1 g/t Au were re-assayed by fire assay with and AAS finish. Later holes were submitted to Aqua Regia digest with graphite furnace AAS.</p> <p>AngloGold, Gravity Capital Limited (2001–2002) – Earlier holes (up to TCRC0029) were submitted to Genalysis in Adelaide.</p> <p>Sample preparation was completed in Adelaide, and then sample analysis was completed in Perth via a 50g fire assay with AAS finish (Method FA50/AAS). Later holes were submitted to Analabs in Perth for analysis by fire assay.</p> <p>Low Impact Diamond Drilling Services (2008) – Two core holes were submitted to Onsite Laboratory Services, Bendigo for analysis by 25g fire assay with AAS finish. Subsampling techniques are not known.</p> <p>Tunkillia Gold (2012) – Au analysis was completed by IntertekGenalysis in Adelaide, via a 50 g lead collection fire assay with AAS finish to a 0.005 ppm detection limit (Method FA50/AA).</p> <p>Tarcoola Gold (2016–2017) – Samples were dried at 90° C to eliminate the impact of moisture on sample processing. After drying samples are crushed via a Boyd Crusher to <10mm in size then split through a rotary splitter to</p>

Criteria	Commentary
	<p>produce a sub-sample. The crusher is cleaned regularly and has barren bricks crushed between sample groups to prevent contamination. Analysis is through the pulverising and leach (PAL) process. This process reflects the site mill extraction process where: each process is pulverised in aqueous solution with cyanide bearing assay tabs and a collection of assorted sized ball bearings.</p> <p>Each sample is pulverised for an hour, resulting in an Au-CN complex bearing solution and remnant pulverised sample, and the pulverised material is 95% passing 75 microns. Following PAL processing, samples are decanted, centrifuged and prepared for analysis in an AAS with a solvent separation with a DIBK and residence time of 20 minutes. The sample is then aspirated through the AAS to produce a reading.</p> <p>Barton Gold (2020) – 2-4kg splits were sent to MinAnalytical in Perth for preparation and analysis using photon assay techniques for gold and ICPOES/MS for multielement geochemistry. The received samples used MinAnalytical’s PAP3502R method for preparation which included weighing before drying and crushing to 3mm. A 500g charge was split for analysis using MinAnalytical’s PAAU2 photon assay method for gold which is a fully automated technique designed for the analysis of ores. It uses high energy x-rays to excite the atoms so liberation from the surrounding material is not required. The ~500g single-use jars allows for bulk analysis with no chance of cross contamination between samples.</p> <p>Barton Gold (2021) – 2-4kg splits were sent to Intertek Genalysis in Adelaide for preparation and analysis using 50g fire assay techniques for gold and ICPOES/MS for multielement geochemistry. Whilst preparation and some fire assays were undertaken in Adelaide Intertek also sent some batches to their Perth laboratories for analysis. Intertek’s FA50/OE04 method uses a 50 g lead collection fire assay with ICP-OES / MS finish to a 0.005 ppm detection limit. Multielement samples were analysed using Intertek’s method 4A/MS48 which is a 4-acid digest followed by analysis using ICP-OES and MS for 48 elements.</p> <p>Barton Gold (2022-present) – 2-4kg splits were sent to Bureau Veritas in Adelaide for preparation and analysis using 40g fire assay techniques for gold. Bureau Veritas’ FA1 method uses a 40 g lead collection fire assay with AAS finish to a 0.01 ppm detection limit.</p> <p>Barton Gold applied a preliminary field assaying workflow to determine which one-metre samples were selected for analysis for Au at Bureau Veritas. The field assaying utilizes the DetectOre™ workflow developed by CSIRO and provided by Portable PPB Ltd. The analysis involves taking a 250g subset of the three-metre drill composites, leaching for 12 hrs in a proprietary reagent with an inserted collector device, washing and drying the collector device prior to reading the contained gold with a Vanta™ handheld pXRF running proprietary firmware (Au-focussed) for the analysis. The pXRF data is post-processed by Portable PPB and results provided that are equivalent to parts per billion (ppb) Au results, with an effective detection limit of 20ppb. The results of the Portable PPB outputs are considered suitable for preliminary interpretation and planning purposes, but not sufficiently accurate for reporting.</p> <p>No geophysical studies were used in this latest drilling program.</p> <p>Barton Gold’s RC drilling program included a comprehensive QAQC component with Field Duplicates, Certified Standards (selection of OREAS CRM’s considered most appropriate for expected grade and composition) and coarse blanks collectively inserted at ratio of approximately 1 in 20-25 primary samples. The sequencing of QC samples is tailored on the basis of preliminary (field) assaying to maximise the effect of QA. Additionally, the laboratories provided their internal QAQC which included check samples, CRM’s, blanks and repeats.</p> <p>The Portable PPB workflow includes reference materials inserted and analysed at ratio of 1:40 samples.</p> <p>Analysis of the duplicate samples was variable but considered acceptable given the nature of gold mineralization associated with this project. Some significant variation was noted however this is considered consistent with the interpreted high nugget style of mineralisation.</p> <p>Bureau Veritas’ analysis for gold using fire assay performed well with all</p>

Criteria	Commentary
	<p>batches falling within the +/-3SD test of the expected value for the given standards (3 OREAS CRM's).</p> <p>Historically, the amount of sampling and analytical QC data that has been collected has varied over the project's history.</p> <p>Limited sampling and analytical QC data is available to support drilling programs completed prior to 1992, which represents a relatively minor portion of the dataset.</p> <p>Between 1992 and 1994, the only meaningful QC data appears to be a comparison of spear and riffle split sampling results. No significant bias was noted between the methods.</p> <p>Between 1996 and 1998, standard results indicate no significant bias, and blank results suggest no issue with carry-over contamination. Field duplicate results reveal a reasonable amount of scatter, which implies poor sample precision, however no bias was noted. Check (umpire laboratory) assay results also revealed considerable scatter but no significant bias which further attests to the accuracy of the analytical data.</p> <p>It is understood no QC samples were submitted between 2001 and 2008.</p> <p>Tunkillia Gold used blanks to monitor carry-over contamination and no significant issues were detected. Field duplicates were used to assess sample precision, while CRMs were used to assess analytical accuracy. Some pulps were also sent to an umpire laboratory as a further check on analytical accuracy.</p> <p>Field duplicate results provide some confidence sample precision. The scatter which is observed is understandable given the moderate to high nugget effect evident at Tarcoola. The CRMs reasonably demonstrated the accuracy of the laboratory. Pulp repeats were higher than the original results, which did cause some concern however, given the CRM results the Competent Person had reasonable confidence in the accuracy of the primary laboratory.</p> <p>Tarcoola Gold collected field duplicates to monitor sample precision and submitted one main CRM to monitor analytical accuracy. The field duplicate results give some confidence in sample precision, with the scatter which is observed likely a consequence of the high-nugget nature of the mineralisation. Although only one CRM was used, no bias was noted.</p>
<p>Verification of sampling and assaying <i>The verification of significant intersections by either independent or alternative company personnel.</i> <i>The use of twinned holes.</i> <i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i> <i>Discuss any adjustment to assay data.</i></p>	<p>Alternative company personnel have verified significant intersections.</p> <p>No twinned holes were used in the course of this program.</p> <p>All data collected in the reported program including collar details, drilling records, sampling records and geological logs are recorded directly into spreadsheets in the field which includes comprehensive interval validation processes.</p> <p>Gyro downhole surveys and Assay results were provided in digital format.</p> <p>All relevant historical data was entered into a DataShed database where various validation checks were performed. Data was exported into an Access Database.</p> <p>No adjustments were made to any assay data in this release.</p>
<p>Location of data points <i>Accuracy and quality of surveys used to locate drillholes (collar and downhole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i> <i>Specification of the grid system used.</i> <i>Quality and adequacy of topographic control.</i></p>	<p>All 2024 RC collars were sited using a Garmin hand-held GPS system, with the majority of drill collars also picked up using a Leica DGPS system post-drilling (<0.1m accuracy). The RL was generated from the LiDAR survey collected at the completion of drilling.</p> <p>All Barton RC holes were downhole surveyed using an Axis Champ-Gyro system which provided measurements at 20m intervals up and down hole.</p> <p>Collar location and downhole survey methods have varied somewhat over the project's history. Almost all hole collars have been surveyed by GPS, DGPS or total station methods, with checks completed against the topographic DTM.</p> <p>Downhole survey methods have varied somewhat over the projects history and are summarised below.</p> <p>Aberfoyle (1979–1985) – Holes not surveyed. Set-up positions were used and are well documented.</p> <p>BHP (1987–1989) – Holes not surveyed. Set-up positions were used and are</p>

Criteria	Commentary
	<p>well documented.</p> <p>Grenfell (1991–1997) – A single shot Eastman camera was used, with surveys taken every 30–50m (GP, GL series). Early generation holes completed by Grenfell/Queens Road were not surveyed at the time of the drilling. Grenfell conducted a campaign of Eastman surveys for open historical holes, using Fugro Survey as a contractor.</p> <p>AngloGold (2001–2002) – A single shot Eastman camera was used, with surveys taken every 30–50m (TCD, TCRC series).</p> <p>Tunkillia Gold (2012) – A reflex Ezi-shot downhole camera was used, with readings taken every 30m for diamond holes (TADD series) and end-of-hole for RC holes (TARC series). TGL completed validation checks on the downhole surveys including consistency checks on available databases, comparison of digital databases against hard copy records, and against original Eastman camera discs, cross checks on grid to magnetic conversions and visual review.</p> <p>Tarcoola Gold (2016–2017) – In February 2017, Kinetic Technologies was engaged to perform a downhole optics survey for a geotechnical review. A total of seven holes were downhole surveyed for deviation using a directional survey probe.</p> <p>Readings were taken at 10m downhole intervals. Results showed minor lifting in holes deeper than 28m. The majority of grade control holes are drilled to 23m; hence hole deviation is not considered to be significant</p> <p>All site data is reported in Geocentric Datum of Australia 1994 (GDA94) and Vertical Datum in Australian Height Datum (AHD). The map projection is MGA Zone 53. Historic Survey Data has been converted to GDA94.</p> <p>In March 2020 Barton gold engaged Aerometrex to collect LiDAR and high-resolution ortho-imagery over the entire Tarcoola Mining Lease. All datasets are levelled to the LiDAR survey.</p>
<p>Data spacing and distribution <i>Data spacing for reporting of Exploration Results.</i> <i>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</i> <i>Whether sample compositing has been applied.</i></p>	<p>The spacing of RC drill holes was determined to provide an adequate test for mineralisation being targeted.</p> <p>Sample compositing was not applied</p>
<p>Orientation of data in relation to geological structure <i>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</i> <i>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</i></p>	<p>Precise controls on the distribution of mineralisation are poorly understood at this early stage of exploration targeting. Angled drill holes were drilled due to likely steep dip expected on mineralised positions, based on mineralisation observed elsewhere in the project area.</p> <p>Further exploration is required to determine true widths and orientations of mineralisation with a greater degree of confidence.</p>
<p>Sample security <i>The measures taken to ensure sample security.</i></p>	<p>Barton Gold staff oversaw the sampling on the RC drill rig and maintained oversight of sample security whilst onsite during the drilling programs. Split samples were inserted into pre-printed calico bags. These tied bags were, in batches of 5, ziplocked into labelled poly-weave bags which were inserted into ziplocked Bulka-bags. The bulka bags were strapped onto pallets and either transported and delivered to the laboratory by Barton Gold personnel, or loaded by a Barton Gold representative on to a semitrailer for transport to the laboratories in Adelaide. The trailers were not unloaded whilst in transit.</p> <p>Barton does not have detailed information in regard to sample security measures taken by previous owners of the Tarcoola project. However, Barton understands that these procedures have been in accordance with commonly adopted standard industry practices</p>
<p>Audits or reviews <i>The results of any audits or reviews of sampling techniques and data</i></p>	<p>An internal peer review of the exploration data processes has been completed by Barton Gold which has included a detailed review of the assay, survey and QAQC data.</p>



Criteria	Commentary
	MacArthur carried out a review of sampling techniques and data in 2013. Mining Plus undertook a comprehensive audit of the historical drilling database in 2020 and have in part rebuilt the database using original assay results and incorporated significant supporting metadata.

Section 2 Reporting of Exploration Results

Criteria	Commentary
<p>Mineral tenement and land tenure status <i>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</i></p> <p><i>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</i></p>	<p>The Tarcoola ML Project area lies within Mineral Lease (ML) 6455. ML6455 covers an area of 725.35 ha and is situated completely within Exploration Licence (EL) 6210 which was owned by Tarcoola 2 Pty Ltd a wholly owned subsidiary of Barton Gold Pty Ltd. The Mining Lease is covered by a registered Native Title determination held by the Antakirinja Matu-Yankunytjatjara Aboriginal Corporation (AMYAC). Tarcoola 2 has a deed of agreement with AMYAC and all work programs have been approved by AMYAC. Adjacent to the Perseverance Deposit and the Deliverance/Eclipse Target areas are registered State Heritage Places.</p> <p>The Tarcoola deposit is currently held under a Mining Lease which is listed as Under Care and Maintenance. There are no known impediments to obtaining future licences.</p>
<p>Exploration done by other parties <i>Acknowledgment and appraisal of exploration by other parties.</i></p>	<p>The Tarcoola deposit has been subject to sporadic exploration by numerous parties since alluvial gold was first discovered in 1893. Companies who have undertaken drilling include: Newmex Exploration, BHP, Grenfell Resources, AngloGold, Stellar, Hiltaba Gold, Tunkillia Gold and Tarcoola Gold.</p>
<p>Geology <i>Deposit type, geological setting and style of mineralisation.</i></p>	<p>The Tarcoola Project covers a portion of the north-western Gawler Craton centred over the historic Tarcoola goldfield, where Archaean and Proterozoic rocks form the basement to an extensive cover of Phanerozoic sediments. The Archaean basement has been extensively deformed, whereas the Proterozoic rocks have been weakly to moderately deformed.</p> <p>At Perseverance (current Tarcoola open pit mine), gold mineralisation is hosted within sedimentary rocks of the Tarcoola Formation and granite, both of Proterozoic age. The granite is variably in fault contact with or unconformably overlain by the sediments, which consists of conglomerate, limestone, sandstone, siltstones, and shale. A suite of later intrusions (Lady Jane Diorite) cut both the sedimentary rocks and the granite.</p> <p>Mafic high level intrusives associated with the 1590Ma Hiltaba Magmatic Event are considered to control the spatial setting of both gold and base metal mineralisation.</p> <p>Three deformation events have been recognised in the area. D1 is characterised by open folding and NNW-directed thrusting, responsibly for the southerly dip of the sedimentary package at Perseverance. Steeply dipping NW and NE trending brittle faults developed during D2. These structures host and control the gold mineralisation in the Tarcoola Ridge area. The third deformation event (D3) is represented by the late E-W trending barren quartz veins.</p> <p>Gold has locally been remobilised and enriched in the weathering profile. The base of complete oxidation occurs typically 10-40m below surface, and the base of partial oxidation occurs at a depth of ~20-60m.</p> <p>Within the primary zone, sericite-quartz-pyrite alteration zones are spatially associated with the mineralisation and overprint earlier hematite-magnetite alteration. An outer halo of chlorite (+/-leucoxene and pyrite) is developed. Pyrite, galena and sphalerite are the main associated sulphide minerals, with subordinate amounts of chalcopyrite bornite and/or arsenopyrite noted.</p> <p>Veins can be discrete or form wider stockwork zones and are surrounded by broader quartz-sericite alteration envelopes which can host lower grade background halos of mineralisation. Dispersed supergene mineralisation in the oxide zone can be largely detached from veining.</p> <p>For more detail see: Budd, A & Skirrow, R, 2007. The Nature and Origin of Gold Deposits of the Tarcoola Goldfield and Implications for the Central Gawler Gold Province, South Australia. Economic Geology, 2007.</p>
<p>Drillhole information <i>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drillholes:</i></p> <ul style="list-style-type: none"> • <i>Easting and northing of the drillhole collar</i> • <i>Elevation or RL (Reduced Level – Elevation above</i> 	<p>A tabulation of the drilling program including the details of historic holes mentioned in this Announcement are presented in Tables 2 and 4.</p>

Criteria	Commentary
<p>sea level in metres) of the drillhole collar</p> <ul style="list-style-type: none"> • Dip and azimuth of the hole • Downhole length and interception depth hole length. • Hole length <p>If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</p>	
<p>Data aggregation methods</p> <p>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated.</p> <p>Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</p> <p>The assumptions used for any reporting of metal equivalent values should be clearly stated.</p>	<p>Reported intersections used the following criteria:</p> <ul style="list-style-type: none"> • Reported intervals have been determined by applying a 0.5g/t Au cut-off (minimum 1gram-metre accumulation, ie the multiple of the interval in metres and the weighted average grade) and allowing for a maximum of two consecutive intervals of dilution • No high-grade cut-offs were applied • Zones of anomalous mineralisation presented on drill sections have been determined by applying a 0.1g/t Au cut-off , with a minimum width of two metres and allowing for a maximum two consecutive intervals of dilution. <p>No metal equivalents were calculated</p>
<p>Relationship between mineralisation widths and intercept lengths</p> <p>These relationships are particularly important in the reporting of Exploration Results.</p> <p>If the geometry of the mineralisation with respect to the drillhole angle is known, its nature should be reported.</p> <p>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. "downhole length, true width not known").</p>	<p>The relationship between mineralisation width and intercept lengths is unknown. Mineralisation elsewhere in the broader project area where there is greater levels of geological confidence is steeply dipping. The strike orientation (azimuth) of mineralisation reported has a low level of understanding and confidence.</p>
<p>Diagrams</p> <p>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drillhole collar locations and appropriate sectional views.</p>	<p>See figures included in the body of this announcement</p>
<p>Balanced reporting</p> <p>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</p>	<p>Balanced reporting of Exploration Results is presented. Historical drilling has been undertaken across all recently drilled areas and is presented only where applicable at the scale of diagrams provided.</p>
<p>Other substantive exploration data</p> <p>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</p>	<p>No substantive exploration data not already mentioned in this table has been used in the preparation of this Announcement.</p> <p>There are however extensive geological, geophysical, geochemical, geotechnical and metallurgical datasets available for this project area</p>
<p>Further work</p> <p>The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large-scale step-out drilling).</p> <p>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</p>	<p>Barton Gold is planning further work which will be focused on testing for dip extensions and strike extensions and to confirm grade and geological continuity implied by the current results.</p> <p>Diagrams have been included in the body of this Announcement</p>

Table 2: Drillhole Collar Details for Barton Tarcoola Exploration Drilling (May 2024 – July 2024) programs mentioned in this announcement.

Hole ID	Easting	Northing	RL	DIP	TAZ	Total Depth (EOH)	Type*	Completion	Target
TBM0125	457955	6603637	151	-61	2	90	RC	15/05/24	School
TBM0126	457955	6603590	148	-61	2	96	RC	15/05/24	School
TBM0127	457994	6603490	139	-61	51	108	RC	16/05/24	School
TBM0128	457964	6603464	138	-61	52	102	RC	16/05/24	School
TBM0129	457928	6603434	137	-60	52	96	RC	17/05/24	School
TBM0130	456549	6603203	166	-60	31	108	RC	17/05/24	Genie Bar
TBM0131	456522	6603199	166	-61	80	120	RC	18/05/24	Genie Bar
TBM0132	456248	6603340	155	-61	178	72	RC	19/05/24	Old Flame
TBM0133	456314	6603307	159	-60	342	102	RC	19/05/24	Old Flame
TBM0134	456328	6603268	163	-61	342	84	RC	19/05/24	Old Flame
TBM0135	456341	6603232	167	-60	343	96	RC	20/05/24	Old Flame
TBM0136	456367	6603150	168	-60	343	126	RC	20/05/24	Old Flame
TBM0137	455316	6603536	139	-61	122	198	RC	21/05/24	Perseverance North
TBM0138	455246	6603576	138	-60	121	198	RC	22/05/24	Perseverance North
TBM0139	455188	6603483	139	-60	123	102	RC	22/05/24	Perseverance North
TBM0140	455151	6603505	139	-60	122	102	RC	22/05/24	Perseverance North
TBM0141	455113	6603528	139	-59	122	102	RC	23/05/24	Perseverance North
TBM0142	455077	6603550	139	-61	123	114	RC	23/05/24	Perseverance North
TBM0143	455038	6602754	164	-61	42	210	RC	24/05/24	GPR Dykes
TBM0144	448961	6601985	149	-60	112	150	RC	25/05/24	Tolmer
TBM0145	448928	6601995	148	-61	112	156	RC	26/05/24	Tolmer
TBM0146	448893	6602008	147	-60	111	126	RC	27/05/24	Tolmer
TBM0147	448859	6602031	146	-60	113	126	RC	27/05/24	Tolmer
TBM0148	449190	6602066	150	-60	114	216	RC	8/07/24	Tolmer
TBM0149	449150	6602082	150	-60	115	114	RC	28/05/24	Tolmer
TBM0150	449107	6602100	149	-60	112	120	RC	29/05/24	Tolmer
TBM0151	454108	6602609	132	-61	128	126	RC	12/06/24	Archer
TBM0152	449186	6602427	153	-60	161	168	RC	12/06/24	Tolmer
TBM0153	449172	6602467	156	-60	161	132	RC	12/06/24	Tolmer
TBM0154	449162	6602494	159	-61	161	156	RC	12/06/24	Tolmer
TBM0155	449151	6602526	162	-61	161	108	RC	12/06/24	Tolmer
TBM0156	449430	6602278	147	-60	181	120	RC	15/06/24	Tolmer
TBM0157	449562	6602033	145	-60	304	84	RC	15/06/24	Tolmer
TBM0158	449594	6602014	134	-60	305	84	RC	15/06/24	Tolmer
TBM0159	449626	6601994	144	-60	303	84	RC	15/06/24	Tolmer
TBM0160	449658	6601974	143	-60	302	96	RC	16/06/24	Tolmer
TBM0161	449226	6602052	150	-60	113	144	RC	16/06/24	Tolmer
TBM0162	449264	6602037	147	-61	114	144	RC	17/06/24	Tolmer
TBM0163	449310	6602021	143	-60	114	120	RC	18/06/24	Tolmer
TBM0164	443340	6603519	151	-60	4	108	RC	18/06/24	Warburton
TBM0165	443339	6603599	153	-60	183	96	RC	18/06/24	Warburton

TBM0166	443561	6603677	155	-61	65	120	RC	19/06/24	Warburton
TBM0167	443527	6603661	154	-60	67	132	RC	20/06/24	Warburton
TBM0168	443493	6603647	153	-60	68	102	RC	20/06/24	Warburton
TBM0169	443464	6603837	160	-61	67	102	RC	21/06/24	Warburton
TBM0170	443424	6603819	160	-61	68	96	RC	21/06/24	Warburton
TBM0171	443388	6603803	160	-59	67	96	RC	22/06/24	Warburton
TBM0172	447000	6600360	128	-60	182	84	RC	22/06/24	Mulgathing
TBM0173	447000	6600400	128	-59	181	84	RC	23/06/24	Mulgathing
TBM0174	447000	6600440	129	-59	179	84	RC	23/06/24	Mulgathing
TBM0175	446600	6600102	125	-60	133	84	RC	23/06/24	Mulgathing
TBM0176	446569	6600128	125	-60	130	90	RC	24/06/24	Mulgathing
TBM0177	445853	6600041	125	-61	232	72	RC	24/06/24	Mulgathing
TBM0178	445884	6600067	125	-61	230	102	RC	25/06/24	Mulgathing
TBM0179	445915	6600093	125	-61	231	150	RC	4/07/24	Mulgathing
TBM0180	449316	6602124	143	-59	109	120	RC	5/07/24	Tolmer
TBM0181	449277	6602139	145	-60	111	130	RC	5/07/24	Tolmer
TBM0182	449239	6602158	146	-61	113	168	RC	7/07/24	Tolmer
TBM0183	449237	6601939	143	-60	114	102	RC	8/07/24	Tolmer
TBM0184	449201	6601953	144	-60	113	168	RC	9/07/24	Tolmer
TBM0185	449214	6602566	162	-60	314	96	RC	9/07/24	Tolmer
TBM0186	449248	6602539	158	-58	314	120	RC	10/07/24	Tolmer
TBM0187	449275	6602516	155	-60	312	120	RC	11/07/24	Tolmer
TBM0188	449303	6602496	153	-60	310	102	RC	11/07/24	Tolmer
TBM0189	449090	6602406	155	-60	309	102	RC	11/07/24	Tolmer
TBM0190	449119	6602383	153	-60	310	120	RC	12/07/24	Tolmer
TBM0191	449148	6602361	152	-61	311	144	RC	12/07/24	Tolmer
TBM0192	445990	6600070	125	-61	220	78	RC	13/07/24	Mulgathing
TBM0193	446015	6600100	125	-60	220	84	RC	13/07/24	Mulgathing
TBM0194	445645	6600022	124	-60	271	78	RC	14/07/24	Mulgathing
TBM0195	445680	6600022	124	-61	271	96	RC	14/07/24	Mulgathing
TBM0196	445340	6599415	124	-60	272	114	RC	14/07/24	Mulgathing
TBM0197	445380	6599415	124	-60	273	96	RC	15/07/24	Mulgathing
TBM0198	445410	6599415	124	-60	270	96	RC	16/07/24	Mulgathing
TBM0199	445440	6599415	124	-61	272	90	RC	16/07/24	Mulgathing
TBM0200	445470	6599415	125	-58	273	84	RC	17/07/24	Mulgathing
TBM0201	445510	6599210	120	-60	88	78	RC	17/07/24	Mulgathing
TBM0202	445480	6599210	120	-60	92	90	RC	18/07/24	Mulgathing
TBM0203	445410	6599210	120	-60	90	90	RC	18/07/24	Mulgathing
TBM0204	445379	6599210	120	-60	91	84	RC	18/07/24	Mulgathing

*RC=Reverse Circulation, DD= Diamond Core.

Table 3: Significant Intersections for Barton Gold Perseverance pit (December 2023 - April 2024) and Perseverance West (September 2023) drilling programs mentioned in this announcement²

Hole ID	From	To	Metres ¹	Au (g/t)	Comments &/or including
TBM0125	22	25	3	1.69	including 1m @ 2.94g/t Au from 24m
TBM0128	69	73	4	0.47	including 1m @ 1.27g/t Au from 72m
TBM0129	38	39	1	1.30	
TBM0130	48	49	1	1.47	
TBM0131	60	61	1	1.22	
TBM0131	100	102	2	2.55	including 1m @ 3.91g/t Au from 100m
TBM0132	15	22	7	0.90	including 1m @ 2.00g/t Au from 20m
TBM0134	29	30	1	2.60	
TBM0135	56	63	7	1.60	including 1m @ 5.8g/t Au from 57m
TBM0145	79	80	1	2.16	1m @ 2.16g/t Au from 79m
TBM0145	99	101	2	1.29	including 1m @ 1.99g/t Au from 99m
TBM0146	71	74	3	0.55	including 1m @ 1.02g/t Au from 71m
TBM0148	103	104	1	1.01	
TBM0148	202	211	9	3.92	including 2m @ 7.15g/t Au from 202m
TBM0153	30	31	1	1.09	
TBM0154	44	50	6	1.12	including 1m @ 3.67g/t Au from 46m
TBM0154	73	75	2	1.16	
TBM0154	88	89	1	6.20	
TBM0159	68	70	2	0.59	
TBM0161	70	71	1	1.27	
TBM0161	95	99	4	24.6	including 1m @ 83.6g/t Au from 97m
TBM0162	13	15	2	0.78	
TBM0162	51	52	1	2.44	
TBM0162	67	68	1	1.19	
TBM0162	97	102	5	3.15	including 1m @ 9.00g/t Au from 99m
TBM0163	1	3	2	0.87	
TBM0163	5	8	3	1.48	
TBM0163	20	22	2	2.71	including 1m @ 4.43g/t Au from 21m
TBM0163	100	101	1	2.34	
TBM0164	73	75	2	1.18	
TBM0168	83	84	1	1.24	
TBM0171	78	81	3	11.6	including 1m @ 32.7g/t Au from 78m
TBM0179	40	44	4	1.07	4m @ 1.07g/t Au from 40m
TBM0180	16	22	6	1.24	1m @ 2.89g/t Au from 18m
TBM0180	37	48	11	0.79	including 2m @ 2.03g/t Au from 38m
TBM0180	77	78	1	2.50	
TBM0181	45	50	5	1.35	
TBM0181	80	94	14	1.41	including 1m @ 3.54g/t Au from 82m & 1m @ 3.40g/t Au from 89m
TBM0181	100	101	1	1.02	
TBM0181	104	108	4	0.65	including 1m @ 1.85g/t Au from 107m
TBM0182	47	48	1	1.83	

Notes: (1) Not true widths (down hole intersections); (2) Primary intervals calculated by applying a 0.5g/t Au cut-off (minimum 1gram-metre accumulation) and allowing up to 2m internal dilution. Included intervals are selected to ensure balanced and representative reporting of mineralisation within primary intervals.

Table 4: Drillhole Collar Details for Historical Drill Holes Mentioned in this Announcement

Hole ID	Easting	Northing	RL	DIP	TAZ	Total Depth (EOH)	Type*	Completion	Target
TAP087	448,434	6,602,043	151	-90		11	RAB	1/09/1989	Tolmer
TAP088	448,389	6,602,083	151	-90		8	RAB	1/09/1989	Tolmer
TAP094	449,049	6,602,163	151	-90		5	RAB	1/09/1989	Tolmer
TAP095	449,017	6,602,183	151	-90		10	RAB	1/09/1989	Tolmer
TAP096	448,986	6,602,203	152	-90		10	RAB	1/09/1989	Tolmer
TAP097	448,948	6,602,233	152	-90		10	RAB	1/09/1989	Tolmer
TAP098	448,909	6,602,263	152	-90		10	RAB	1/09/1989	Tolmer
TAP099	448,873	6,602,293	153	-90		10	RAB	1/09/1989	Tolmer
TAP100	448,833	6,602,323	153	-90		7	RAB	1/09/1989	Tolmer
TAP101	449,580	6,602,323	154	-90		9	RAB	1/09/1989	Tolmer
TAP102	449,538	6,602,353	154	-90		10	RAB	1/09/1989	Tolmer
TAP103	449,500	6,602,383	153	-90		5	RAB	1/09/1989	Tolmer
TAP104	449,453	6,602,422	153	-90		5	RAB	1/09/1989	Tolmer
TAP105	449,416	6,602,452	152	-90		4	RAB	1/09/1989	Tolmer
TAP106	449,372	6,602,485	153	-90		5	RAB	1/09/1989	Tolmer
TOL001	449,429	6,602,213	145	-60	000	50	RAB	10/04/1999	Tolmer
TOL002	449,429	6,602,173	145	-60	000	50	RAB	10/04/1999	Tolmer
TOL003	449,429	6,602,133	145	-60	000	52.5	RAB	10/04/1999	Tolmer
TOL004	449,429	6,602,093	144	-60	000	72	RAB	10/04/1999	Tolmer
TOL005	449,429	6,602,053	144	-60	000	59	RAB	10/04/1999	Tolmer
TOL006	449,429	6,602,013	144	-60	000	51	RAB	10/04/1999	Tolmer
TOL007	449,529	6,602,013	145	-60	000	57	RAB	11/04/1999	Tolmer
TOL008	449,529	6,601,973	144	-60	000	45	RAB	11/04/1999	Tolmer
TOL009	449,529	6,601,933	143	-60	000	72	RAB	11/04/1999	Tolmer
TOL010	449,629	6,602,013	146	-60	000	78	RAB	11/04/1999	Tolmer
TOL011	449,629	6,601,973	145	-60	000	72	RAB	11/04/1999	Tolmer
TOL012	449,629	6,601,933	144	-60	000	66	RAB	11/04/1999	Tolmer
TOL013	449,569	6,601,973	144	-60	000	78	RAB	11/04/1999	Tolmer

*RC=Reverse Circulation, RM/DD=Rotary Mud precollar with Diamond Core tail, RAB=Rotary Air Blast

Table 5: Significant Intersections for Historical Drilling Mentioned in this Announcement²

Hole ID	From	To	Metres ¹	Au (g/t)	Comments &/or including
TOL001	44	48	4	0.51	4m composite sample
TOL011	60	64	4	0.92	4m composite sample

¹ Note - Not true widths.

² Note - Calculated applying a 0.5g/t Au cut-off and allowing up to 2m internal dilution.