

## High-grade gold continues to be intersected at the 4.5Moz Bullabulling Gold Project

**7m @ 38.75 g/t Au, including 1m @ 196g/t Au, intersected at Bacchus**

### Highlights

Minerals 260 Limited (ASX:MI6) is pleased to report further results from its ongoing drilling program at the 4.5Moz Bullabulling Gold Project, located 25km west of Coolgardie in Western Australia. Assays have been received for a further 83 drill holes totalling 16,657m, including:

### Phoenix Deposit (57Mt @ 1.0g/t Au for 1,800koz Au)

#### Infill

- 14m @ 1.0g/t Au from 88m in BBRC0376\*
- 12m @ 1.3g/t Au from 180m in BBRC0431\*
- 19m @ 1.26g/t Au from 42m in BBRC0462\*

#### Extensional (outside the December 2025 MRE)

- 8m @ 2.2g/t Au from 340m and 7.1m @ 1.2g/t Au from 368.2m in BBRD0010\*<sup>1</sup>
- 12m @ 1.5g/t Au from 102m and 10m @ 1.6g/t Au from 192m in BBRC0430\*
- 13m @ 1.3g/t Au from 131m in BBRC0434\*
- 11m @ 1.1g/t Au from 198m and 20m @ 0.6g/t Au from 253m in BBRC0435\*

### Bacchus Deposit (46Mt @ 1.1g/t Au for 1,600koz Au)

#### Infill

- 8.8m @ 1.3g/t Au from 197m in BBRD0046\*<sup>1</sup>
- 8m @ 3.0g/t Au from 175m and 6m @ 6.5g/t Au from 322m in BBRC0357\*
- 6m @ 10.0g/t Au from 101m in BBRC0414\*, including:
  - 1m @ 55.3g/t Au from 104m
- 7m @ 38.75g/t Au from 251m in BBRC0452\*<sup>#</sup> (True widths are estimated between 70% and 85% of the reported drillhole intercepts), including:
  - 4m @ 64.3g/t Au from 251m
  - 1m @ 196g/t Au from 252m

#### Extensional

- 15m @ 1.7g/t Au from 109m and 9m @ 1.1g/t Au from 128m in BBRC0356\*
- 24m @ 1.4g/t Au from 110m in BBRC0418\*

## Dicksons Deposit (18Mt @ 1.0g/t Au for 610koz Au)

### Infill

- 12m @ 1.2g/t Au from 83m and 4m @ 3.4g/t Au from 152m in BBRC0384\*
- 11m @ 1.3g/t Au from 205m in BBRC0433\*

## Kraken Deposit (8.8Mt @ 1.2g/t Au for 340koz Au)

### Infill

- 17m @ 0.8g/t Au from 85m in BBRC0406\*

### Extensional

- 14m @ 1.7g/t Au from 189m in BBRC0442\*
- 2m @ 25.49g/t Au from 164m in BBRC0472\*

## Gibraltar Deposit (5.4Mt @ 1.0g/t Au for 180koz Au)

### Extensional (results included in the December 2025 MRE)

- 10m @ 2.2g/t Au from 197m in BBRD0177\*<sup>1</sup>
- 10m @ 2.6g/t Au from 239m in BBRD0274\*<sup>1</sup>, including:
  - 1m @ 11.2g/t Au from 242m

Drilling at Bullabulling continues to:

- **Consistently return thick and high-grade mineralisation** along the footwall shear zone at Bacchus;
- **Intersect multiple mineralised lenses outside the December 2025 Mineral Resource Estimate (MRE)** pit shell, indicating strong potential for further increases to the MRE both at depth and along strike;
- **Confirm the continuity of mineralisation at depth along the entire 8.5km strike extent of the MRE;**
- **Intersect thick, high-grade mineralisation** down-plunge of the main lode at Gibraltar;
- **Target extensions of high-grade areas** located beneath or along strike from the 4.5Moz MRE, specifically the high-grade areas at Bacchus and between Bacchus and Kraken; and
- Support increasing confidence in the MRE and **improve the understanding of structural controls of the high-grade areas.**

\* True widths are estimated at between 85% and 95% of the reported drillhole intercepts

# True widths are estimated at between 70% and 85% of the reported drillhole intercepts

<sup>1</sup> Diamond tail results reported only. See previous ASX announcements for RC pre-collar significant intercepts.

Table 1 – Drilling Summary

|                                            | Holes<br>(RC and DD) | Metres<br>(RC and DD) |
|--------------------------------------------|----------------------|-----------------------|
| Drilled by MI6 <sup>2</sup>                | 553                  | 117,561               |
| Previously reported                        | 437                  | 92,463                |
| Reported in this announcement <sup>3</sup> | 83                   | 16,657                |
| Total reported                             | 520                  | 109,121               |
| Assays pending                             | 33                   | 8,440                 |

<sup>2</sup> Two diamond holes were drilled by Norton Goldfields prior to the completion of the transaction.

<sup>3</sup> Number includes diamond tails where RC pre-collars have been previously reported

## Management Comment

**Minerals 260 Managing Director, Luke McFadyen**, said: “It is fitting to close out 2025 with the best intercept reported by Minerals 260 - a hole at Bacchus which represents the highest value intercept on a gram x metre basis. Our +110,000m drilling campaign this year supported the recently announced 4.5Moz MRE and now we’ve announced some of the highest value intercepts in the history of the project. We’ve consistently delivered excellent drilling results since we started drilling at Bullabulling eight months ago. Importantly, the majority of results reported in this announcement were not included in the recent MRE update and will support an updated MRE in 2026.”

“I would like to take this opportunity to thank our team for their hard-work this year. Their efforts have positioned Minerals 260 as one of the leading gold development companies in Australia and sets us up for an exciting 2026.”

## Details

**Minerals 260 Limited** (“Minerals 260” or the “Company”) (**ASX: MI6**) is pleased to report results from its 100%-owned, 4.5Moz Bullabulling Gold Project (“Bullabulling” or the “Project”) located 25km west of Coolgardie in Western Australia.

Assays have been received for 83 drill holes totalling 16,657m, only two of these holes were included in the recently announced 4.5Moz MRE.

A total of 553 holes for 117,561m have been drilled by Minerals 260 since April 2025, comprising 53 DD holes for 10,623m, 483 RC holes for 101,943m, and 17 RC/DD holes for 4,995m (**Table 1**). See **Appendix 1** for a summary of the results included in this Announcement.

Drilling results in this Announcement are from:

- Infill drilling at the Dicksons, Phoenix, Bacchus and Kraken deposits;
- Diamond tails to follow up RC drilling at the Gibraltar prospect; and
- Extensional drilling beneath and along strike of the MRE pit shells, specifically high-grade areas at the Bacchus deposit.

## Phoenix Deposit (57Mt @ 1.0g/t Au for 1,800koz Au)

Drilling at Phoenix has targeted down dip extensions and deeper lodes beneath the MRE pit shells. BBRC0435 intersected 11m @ 1.1g/t Au from 198m, and 20m @ 0.6g/t Au from 253m within the pit shell, extending mineralisation ~50m down dip (**Figure 2**).

Extensional holes targeting down dip mineralisation beneath the MRE pit shell included BBRC0434 with 13m @ 1.3g/t Au from 131m, and diamond tail BBRC0010 with 8m @ 2.2g/t Au from 340m and 7.1m @ 1.2g/t Au from 368.2m.

## Bacchus Deposit (46Mt @ 1.1g/t Au for 1,600koz Au)

Drilling continues to intersect thick and higher than resource grade mineralisation, along the footwall lode where results include several of the highest gram x meter intercepts by Minerals 260, including the previously reported 10.2m @ 18.5g/t from 236.2m in BBDD0021. New results include:

- 8.8m @ 1.3g/t Au from 197m in BRRD0046;
- 8m @ 3.0g/t Au from 175m and 6m @ 6.5g/t Au from 322m in BBRC0357; and
- 24m @ 1.4g/t Au from 110m in BBRC0418.

Infill drilling at the southern end of the Bacchus MRE pit shell is consistently returning high grade and thick intercepts, with new results including:

- 7m @ 38.75g/t Au from 251m, including 4m @ 64.3g/t Au from 251m and 1m @ 196g/t Au from 252m in BBRC0452, being the best intercept received from drilling at Bullabulling (**Figures 3 and 4**);
- 6m @ 10.0g/t Au from 101m in BBRC0414; and
- 5m @ 2.7g/t Au from 61m in BBRC0411.

## Dicksons Deposit (18Mt @ 1.0g/t Au for 610koz Au)

Recent drilling at Dicksons focussed on infill and depth extensions beneath the MRE pit shells. BBRC0432 intersected 19m @ 0.7g/t Au from 131m within the planned pit shell and BBRC0433 extended mineralisation beneath the pit shell with 11m @ 1.3g/t Au from 205m (**Figure 5**). Other significant results include BBRC0384 with 12m @ 1.2g/t Au from 83m and 4m @ 3.4g/t Au from 152m

These intercepts will be followed up with drilling to target deeper mineralisation outside of the current MRE.

## Kraken Deposit (8.8Mt @ 1.2g/t Au for 340koz Au)

Recent drilling at Kraken has focused on infilling and testing depth extensions. Infill drilling returned thicker than anticipated mineralisation near the base of the planned pit shell, including 17m @ 0.8 g/t Au from 85m in BBRC0406.

Extension drilling delivered strong results, with BBRC0442 intersecting 14m @ 1.7 g/t Au from 189m on the margin of the MRE pit shell. Mineralisation in this area appears to increase in both grade and thickness with depth. BBRC0472, drilled between Bacchus and Kraken, intersected 2m @ 25.49g/t Au from 164m, supporting a plan to close the existing gap between, and potentially connect, the two deposits in the future. These results are highly encouraging and highlight the potential for further resource growth at Kraken.

Drilling will prioritise the eastern and western extensions of Kraken to define additional shallow, higher-grade mineralisation. Success in these areas may provide opportunities to optimise mine scheduling by bringing forward higher-grade, near-surface ounces early in the mine life.

## Gibraltar Deposit (5.4Mt @ 1.0g/t Au for 180koz Au)

Drilling at Gibraltar targeted the down-plunge extension of the mineralised system, with BBRD0177 returning 10m at 2.2g/t Au from 197m, and BBRD0274 returning 10m at 2.6g/t Au from 239m (**Figure 6**). These results were incorporated into the December MRE and indicate that mineralisation may be increasing in both thickness and grade at depth. Drilling will focus on further defining these thicker, higher-grade zones located outside the MRE pit shell.




Figure 1 - Completed drilling collar locations with highlighted results




Figure 2 - Section 6568480N showing gold mineralisation in BBRC0435 in the foot wall lode of the Phoenix pit. New results with yellow borders.




Figure 3 - Image showing plan view of hole BBRC0452 at Bacchus, drilled south underneath the historic pit




Figure 4 - Section 6566880M showing high-grade gold mineralisation at Bacchus in drill hole BBRC0452 (See Figure 3 for drill hole orientation of BBRC0452). New results with yellow borders.




Figure 5 - Section 6569630N showing continuation of gold mineralisation at depth beneath the Dicksons pit in drill hole BBRC0433. New results with yellow borders.




Figure 6 - Section 305020E (looking west) showing thick, high-grade gold mineralisation in BBRD0274 extending the depth of the Gibraltar pit. New results with yellow borders.



This announcement has been authorised for release by the Board of Minerals 260 Limited.

**For further information please contact:**

Luke McFadyen  
Managing Director  
T: +61 8 6556 6020  
[info@minerals260.com.au](mailto:info@minerals260.com.au)

**Investor Relations:**

Nicholas Read  
Read Corporate  
T: +61 8 9388 1474  
[nicholas@readcorporate.com.au](mailto:nicholas@readcorporate.com.au)

## Bullabulling Gold Project Overview

Bullabulling Gold Project is a potential open pit mining operation located 25km south-west of Coolgardie in the Eastern Goldfields region of Western Australia. The Project hosts a JORC 2012 Mineral Resource Estimate of 130Mt @ 1.0g/t Au for 4.5Moz of gold, on granted mining leases (M15/503, M15/1414, M15/282, M15/554 and M15/552) and is located within a largely contiguous ~587sq km tenement package (**Table 1 and 2 and Figure 8**).

*Table 1 - Bullabulling Mineral Resource Estimate as of December 2025 by deposit*

| Deposit      | Indicated   |                |                | Inferred    |                |                | Total Resource |                |                |
|--------------|-------------|----------------|----------------|-------------|----------------|----------------|----------------|----------------|----------------|
|              | Tonnes (Mt) | Grade Au (g/t) | Metal Au (koz) | Tonnes (Mt) | Grade Au (g/t) | Metal Au (koz) | Tonnes (Mt)    | Grade Au (g/t) | Metal Au (koz) |
| Dicksons     | 12          | 1.0            | 390            | 6.5         | 1.0            | 220            | 18             | 1.0            | 610            |
| Phoenix      | 45          | 0.98           | 1,400          | 12          | 1.1            | 400            | 57             | 1.0            | 1,800          |
| Bacchus      | 32          | 1.0            | 1,100          | 14          | 1.2            | 530            | 46             | 1.1            | 1,600          |
| Kraken       | 2.9         | 1.2            | 120            | 5.9         | 1.2            | 220            | 8.8            | 1.2            | 340            |
| Gibraltar    | 1.7         | 0.85           | 47             | 3.7         | 1.1            | 130            | 5.4            | 1.0            | 180            |
| <b>Total</b> | <b>93</b>   | <b>1.0</b>     | <b>3,000</b>   | <b>42</b>   | <b>1.1</b>     | <b>1,500</b>   | <b>130</b>     | <b>1.0</b>     | <b>4,500</b>   |

*Table 2 - Bullabulling Mineral Resource Estimate as of December 2025 by domain*

| Domain       | Indicated   |                |                | Inferred    |                |                | Total Resource |                |                |
|--------------|-------------|----------------|----------------|-------------|----------------|----------------|----------------|----------------|----------------|
|              | Tonnes (Mt) | Grade Au (g/t) | Metal Au (koz) | Tonnes (Mt) | Grade Au (g/t) | Metal Au (koz) | Tonnes (Mt)    | Grade Au (g/t) | Metal Au (koz) |
| Oxide        | 3.1         | 0.95           | 96             | 1.5         | 0.93           | 44             | 4.6            | 0.94           | 140            |
| Transitional | 23          | 0.99           | 720            | 3.2         | 1.1            | 110            | 26             | 1.0            | 830            |
| Fresh        | 67          | 1.0            | 2,200          | 37          | 1.1            | 1,300          | 104            | 1.1            | 3,600          |
| <b>Total</b> | <b>93</b>   | <b>1.0</b>     | <b>3,000</b>   | <b>42</b>   | <b>1.1</b>     | <b>1,500</b>   | <b>130</b>     | <b>1.0</b>     | <b>4,500</b>   |




Figure 8 - Bullabulling project tenements and geology, showing granted and pending tenure

## Competent Person Statement

The information in this announcement that relates to Exploration Results for the Bullabulling Gold Project is based on, and fairly represents, information and data compiled by Mr Matthew Blake, who is a Competent Person and a member of the Australasian Institute of Geoscientists (AIG). Mr Blake is a full-time employee of the Minerals 260, is entitled to participate in the Company's Employee Securities Incentive Plan, and his associates hold securities in Minerals 260. Mr Blake has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activities being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr Blake consents to the inclusion in this announcement of the information and data relating to the Bullabulling Gold Project based on his information in the form and context in which it appears.

The information in this announcement that relates to the Mineral Resource Estimate for the Bullabulling Gold Project is extracted from the Minerals 260 Limited ASX announcement titled "Bullabulling Gold Project Mineral Resource Doubles to 4.5Moz" dated 1 December 2025.

The information in this announcement that relates to prior Exploration Results and Historical Exploration Results for the Bullabulling Gold Project is extracted from the following ASX announcements:

- "Bullabulling Gold Project Exploration Strategy" dated 12 May 2025
- "Bullabulling Gold Project Drilling Results" dated 4 June 2025
- "Bullabulling Gold Project Drilling Update" dated 7 July 2025
- "Gold discovered along strike and at depth at Bullabulling" dated 4 August 2025
- "High-Grade Intercepts Expand Bullabulling Drill Program" dated 9 September 2025
- "High-Grade Results to Support Bullabulling Resource Upgrade" dated 7 October 2025
- "Bullabulling Gold Project Mineral Resource Doubles to 4.5Moz" dated 1 December 2025

These announcements are available at [www.minerals260.com.au](http://www.minerals260.com.au).

The Company confirms that it is not aware of any new information or data that materially affects the information included in the original announcements and that in the case of the Mineral Resource Estimate for the Bullabulling Gold Project, all material assumptions and technical parameters underpinning the estimates in the previous announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Persons findings presented have not been materially modified from the original market announcements.

## Forward Looking Statements

This announcement may contain forward-looking statements, guidance, forecasts, estimates, prospects, projections or statements in relation to future matters that may involve risks or uncertainties and may involve significant items of subjective judgement and assumptions of future events that may or may not eventuate (Forward Statements).

Forward Statements can generally be identified by the use of forward-looking words such as "anticipates", "estimates", "will", "should", "could", "going", "may", "expects", "plans", "forecast", "target" or similar expressions. Forward Statements including references to updating or upgrading mineral resource estimates, future or near-term production and the general prospectivity of the deposits at the Bullabulling Gold Project (Project), likelihood of permitting the Project and taking a financial investment decision, among other indications, guidance or outlook on future revenues, distributions or financial position and performance or return or growth in underlying investments are provided as a general guide only and should not be relied upon as an indication or guarantee of future performance.

In addition, these Forward Statements are based upon certain assumptions and other important factors that, if untrue, could materially affect the future results, performance or achievements expressed or implied by such information or statements. There can be no assurance that such information or statements will prove to be accurate.

Key assumptions upon which the Company's forward-looking information is based include, without limitation, assumptions regarding the exploration and development activities, receipt of timely approvals and permits, ability to obtain timely finance on reasonable terms when required in the future and contracting for development, construction and commissioning of any future mining operation on terms favourable to the Company, the current and future social, economic and political conditions and any other assumption generally associated with the mining industry. To the extent that certain statements contained in this announcement may constitute 'Forward Statements' or statements about forward looking matters, then the information reflects the Company's (and no other party's) intent, belief or expectations as at the date of this announcement. No independent third party has reviewed the reasonableness of any such statements or assumptions. None of the Company, its related bodies corporate and their respective officers, directors, employees, advisers, partners, affiliates and agents (together, the MI6 Parties) represent or warrant that such Forward Statements will be achieved or will prove to be correct or gives any warranty, express or implied, as to the accuracy, completeness, likelihood of achievement or reasonableness of any Forward Statement contained in this announcement.

Forward Statements are not guarantees of future performance and involve known and unknown risk, uncertainties and other factors, many of which are beyond the control of the Company, and their respective officers, employees, agents and advisors, that may cause actual results to differ materially from those expressed or implied in such statements. Except as required by law or regulation, the Company assumes no obligation to release updates or revisions to Forward Statements to reflect any changes. Recipients should form their own views as to these matters and any assumptions on which any of the Forward Statements are based and not place reliance on such statements.

## Appendix 1 – Bullabulling Project – RC &amp; DD Drill Hole Statistics

| Hole_ID   | Hole Type | East   | North   | RL  | Depth (m) | Dip | Azimuth | From (m)                            | To (m) | Significant Intercepts |             |
|-----------|-----------|--------|---------|-----|-----------|-----|---------|-------------------------------------|--------|------------------------|-------------|
|           |           |        |         |     |           |     |         |                                     |        | Gold (>0.5g/t)         |             |
|           |           |        |         |     |           |     |         |                                     |        | Interval (m)           | Grade (g/t) |
| BBRD0010* | RC/DD     | 299516 | 6567683 | 534 | 416       | -60 | 90      | 335.6                               | 336.25 | 0.65                   | 2.62        |
|           |           |        |         |     |           |     |         | 340                                 | 348    | 8                      | 2.24        |
|           |           |        |         |     |           |     |         | incl. 1m @ 15.2g/t AU from 340m     |        |                        |             |
|           |           |        |         |     |           |     |         | 368.16                              | 375.3  | 7.14                   | 1.17        |
|           |           |        |         |     |           |     |         | 380.43                              | 381.9  | 1.47                   | 2.67        |
|           |           |        |         |     |           |     |         | 389.25                              | 389.97 | 0.72                   | 0.68        |
| BBRD0018* | RC/DD     | 299845 | 6568241 | 455 | 226       | -60 | 90      | 167.6                               | 172.3  | 4.7                    | 0.86        |
|           |           |        |         |     |           |     |         | 193                                 | 197    | 4                      | 1.41        |
|           |           |        |         |     |           |     |         | 204.1                               | 205.5  | 1.4                    | 1.15        |
|           |           |        |         |     |           |     |         | 210.9                               | 213.55 | 2.65                   | 0.61        |
| BBRD0035* | RC/DD     | 299490 | 6566930 | 431 | 286       | -65 | 90      | 147                                 | 148    | 1                      | 0.72        |
|           |           |        |         |     |           |     |         | 196.6                               | 197.1  | 0.5                    | 11.75       |
|           |           |        |         |     |           |     |         | 212                                 | 213    | 1                      | 0.66        |
|           |           |        |         |     |           |     |         | 239                                 | 240    | 1                      | 1.84        |
|           |           |        |         |     |           |     |         | 266                                 | 267.6  | 1.6                    | 0.86        |
| BBRD0046* | RC/DD     | 299773 | 6566280 | 427 | 160       | -70 | 270     | 197                                 | 205.77 | 8.77                   | 1.27        |
|           |           |        |         |     |           |     |         | 216                                 | 217    | 1                      | 0.58        |
|           |           |        |         |     |           |     |         | 219.83                              | 220.84 | 1.01                   | 0.97        |
|           |           |        |         |     |           |     |         | 223.88                              | 227.7  | 3.82                   | 1.91        |
| BBRD0177* | RC/DD     | 305221 | 6562848 | 427 | 256       | -60 | 350     | 197                                 | 207    | 10                     | 2.19        |
|           |           |        |         |     |           |     |         | 212.1                               | 216    | 3.9                    | 0.72        |
|           |           |        |         |     |           |     |         | 244.36                              | 247.6  | 3.24                   | 0.6         |
| BBRD0274* | RC/DD     | 305010 | 6562829 | 430 | 348       | -60 | 350     | 208.5                               | 209.55 | 1.05                   | 1.02        |
|           |           |        |         |     |           |     |         | 213.09                              | 214.8  | 1.71                   | 0.59        |
|           |           |        |         |     |           |     |         | 222.3                               | 227    | 4.7                    | 0.81        |
|           |           |        |         |     |           |     |         | 234.5                               | 235.25 | 0.75                   | 2.9         |
|           |           |        |         |     |           |     |         | 239                                 | 249    | 10                     | 2.64        |
|           |           |        |         |     |           |     |         | inc. 1m @ 11.2 g/t Au from 242m     |        |                        |             |
|           |           |        |         |     |           |     |         | 321                                 | 326    | 5                      | 1.77        |
| BBRD0305* | RC/DD     | 299608 | 6566615 | 386 | 350.3     | -75 | 270     | 267.85                              | 270.11 | 2.26                   | 1.02        |
|           |           |        |         |     |           |     |         | 273.32                              | 274.82 | 1.5                    | 6.00        |
|           |           |        |         |     |           |     |         | inc. 0.7m @ 12.4 g/t Au from 273.3m |        |                        |             |
|           |           |        |         |     |           |     |         | 280.46                              | 282.64 | 2.18                   | 0.59        |
|           |           |        |         |     |           |     |         | 284.31                              | 285    | 0.69                   | 0.58        |
|           |           |        |         |     |           |     |         | 286                                 | 287    | 1                      | 0.67        |
|           |           |        |         |     |           |     |         | 300.17                              | 304.31 | 4.14                   | 0.80        |
|           |           |        |         |     |           |     |         | 312                                 | 321.97 | 9.97                   | 1.27        |
|           |           |        |         |     |           |     |         | 328                                 | 328.96 | 0.96                   | 1.50        |

| Hole_ID   | Hole Type | East   | North   | RL  | Depth (m) | Dip | Azimuth | From (m)                             | To (m) | Significant Intercepts |             |
|-----------|-----------|--------|---------|-----|-----------|-----|---------|--------------------------------------|--------|------------------------|-------------|
|           |           |        |         |     |           |     |         |                                      |        | Gold (>0.5g/t)         |             |
|           |           |        |         |     |           |     |         |                                      |        | Interval (m)           | Grade (g/t) |
|           |           |        |         |     |           |     |         | 341.87                               | 342.29 | 0.42                   | 0.67        |
| BBRD0327* | RC/DD     | 299869 | 6568730 | 454 | 298       | -60 | 90      | 227.9                                | 229    | 1.1                    | 1.96        |
|           |           |        |         |     |           |     |         | 233.5                                | 234.5  | 1                      | 1.4         |
|           |           |        |         |     |           |     |         | 239.5                                | 248.3  | 8.8                    | 0.77        |
|           |           |        |         |     |           |     |         | 284.9                                | 285.2  | 0.3                    | 2.93        |
| BBRD0337* | RC/DD     | 299507 | 6566394 | 367 | 370       | -90 | 90      | 236.91                               | 237.89 | 0.98                   | 0.65        |
|           |           |        |         |     |           |     |         | 244                                  | 245.04 | 1.04                   | 0.54        |
|           |           |        |         |     |           |     |         | 249                                  | 250    | 1                      | 0.58        |
| BBRD0348* | RC/DD     | 299465 | 6566536 | 430 | 346.1     | -55 | 90      | 209                                  | 212    | 3                      | 4.92        |
|           |           |        |         |     |           |     |         | incl. 0.4m @ 37.3g/t Au from 209m    |        |                        |             |
|           |           |        |         |     |           |     |         | 235.92                               | 241    | 5.08                   | 0.54        |
|           |           |        |         |     |           |     |         | 256.86                               | 259.13 | 2.27                   | 9.44        |
|           |           |        |         |     |           |     |         | incl. 0.75m @ 26.4g/t Au from 257.8m |        |                        |             |
|           |           |        |         |     |           |     |         | 272.2                                | 275    | 2.8                    | 2.46        |
|           |           |        |         |     |           |     |         | 278.25                               | 280.4  | 2.15                   | 0.59        |
|           |           |        |         |     |           |     |         | 283                                  | 284.15 | 1.15                   | 0.77        |
|           |           |        |         |     |           |     |         | 313                                  | 318    | 5                      | 0.84        |
|           |           |        |         |     |           |     |         | 324                                  | 325    | 1                      | 1.83        |
| BBRC0356  | RC        | 299367 | 6566124 | 432 | 280       | -53 | 90      | 97                                   | 100    | 3                      | 0.5         |
|           |           |        |         |     |           |     |         | 104                                  | 105    | 1                      | 0.81        |
|           |           |        |         |     |           |     |         | 109                                  | 124    | 15                     | 1.7         |
|           |           |        |         |     |           |     |         | 128                                  | 137    | 9                      | 1.08        |
|           |           |        |         |     |           |     |         | 143                                  | 155    | 12                     | 0.65        |
|           |           |        |         |     |           |     |         | 165                                  | 166    | 1                      | 0.59        |
|           |           |        |         |     |           |     |         | 173                                  | 176    | 3                      | 0.59        |
|           |           |        |         |     |           |     |         | 190                                  | 197    | 7                      | 1.11        |
|           |           |        |         |     |           |     |         | 207                                  | 215    | 8                      | 0.85        |
|           |           |        |         |     |           |     |         | 250                                  | 254    | 4                      | 0.64        |
| BBRC0357  | RC        | 299424 | 6566506 | 431 | 334       | -55 | 130     | 71                                   | 77     | 6                      | 0.85        |
|           |           |        |         |     |           |     |         | 160                                  | 161    | 1                      | 1.19        |
|           |           |        |         |     |           |     |         | 175                                  | 183    | 8                      | 2.98        |
|           |           |        |         |     |           |     |         | incl. 1m @ 18.6g/t Au from 181m      |        |                        |             |
|           |           |        |         |     |           |     |         | 216                                  | 226    | 10                     | 0.72        |
|           |           |        |         |     |           |     |         | 239                                  | 242    | 3                      | 1.06        |
|           |           |        |         |     |           |     |         | 260                                  | 264    | 4                      | 0.69        |
|           |           |        |         |     |           |     |         | 279                                  | 289    | 10                     | 2.48        |
|           |           |        |         |     |           |     |         | 297                                  | 298    | 1                      | 0.81        |
|           |           |        |         |     |           |     |         | 300                                  | 301    | 1                      | 0.77        |
|           |           |        |         |     |           |     |         | 308                                  | 309    | 1                      | 0.51        |

| Hole_ID  | Hole Type | East   | North   | RL  | Depth (m) | Dip | Azimuth | From (m)                        | To (m) | Significant Intercepts |             |
|----------|-----------|--------|---------|-----|-----------|-----|---------|---------------------------------|--------|------------------------|-------------|
|          |           |        |         |     |           |     |         |                                 |        | Gold (>0.5g/t)         |             |
|          |           |        |         |     |           |     |         |                                 |        | Interval (m)           | Grade (g/t) |
|          |           |        |         |     |           |     |         | 315                             | 316    | 1                      | 1.68        |
|          |           |        |         |     |           |     |         | 322                             | 328    | 6                      | 6.52        |
|          |           |        |         |     |           |     |         | incl. 1m @ 34.4g/t Au from 327m |        |                        |             |
| BBRC0358 | RC        | 299410 | 6566515 | 433 | 360       | -70 | 75      | 48                              | 52     | 4                      | 0.51        |
|          |           |        |         |     |           |     |         | 64                              | 65     | 1                      | 0.51        |
|          |           |        |         |     |           |     |         | 142                             | 143    | 1                      | 0.91        |
|          |           |        |         |     |           |     |         | 180                             | 191    | 11                     | 0.74        |
|          |           |        |         |     |           |     |         | 227                             | 228    | 1                      | 0.92        |
|          |           |        |         |     |           |     |         | 253                             | 254    | 1                      | 1.01        |
|          |           |        |         |     |           |     |         | 297                             | 298    | 1                      | 0.6         |
|          |           |        |         |     |           |     |         | 299                             | 304    | 5                      | 0.5         |
| BBRC0359 | RC        | 299707 | 6566080 | 403 | 184       | -80 | 270     | 324                             | 325    | 1                      | 3.9         |
|          |           |        |         |     |           |     |         | 4                               | 8      | 4                      | 0.57        |
|          |           |        |         |     |           |     |         | 20                              | 24     | 4                      | 0.65        |
|          |           |        |         |     |           |     |         | 35                              | 36     | 1                      | 1.22        |
|          |           |        |         |     |           |     |         | 103                             | 104    | 1                      | 0.58        |
|          |           |        |         |     |           |     |         | 131                             | 132    | 1                      | 0.76        |
|          |           |        |         |     |           |     |         | 144                             | 148    | 4                      | 2.06        |
|          |           |        |         |     |           |     |         | 163                             | 164    | 1                      | 0.57        |
| BBRC0375 | RC        | 299943 | 6567180 | 434 | 180       | -60 | 90      | 68                              | 70     | 2                      | 3.17        |
|          |           |        |         |     |           |     |         | 84                              | 87     | 3                      | 0.58        |
|          |           |        |         |     |           |     |         | 93                              | 95     | 2                      | 0.86        |
|          |           |        |         |     |           |     |         | 99                              | 101    | 2                      | 1.26        |
| BBRC0376 | RC        | 299827 | 6567630 | 437 | 204       | -60 | 90      | 22                              | 23     | 1                      | 0.79        |
|          |           |        |         |     |           |     |         | 32                              | 33     | 1                      | 0.96        |
|          |           |        |         |     |           |     |         | 38                              | 39     | 1                      | 0.8         |
|          |           |        |         |     |           |     |         | 43                              | 44     | 1                      | 0.92        |
|          |           |        |         |     |           |     |         | 48                              | 49     | 1                      | 0.97        |
|          |           |        |         |     |           |     |         | 67                              | 69     | 2                      | 0.82        |
|          |           |        |         |     |           |     |         | 77                              | 78     | 1                      | 0.69        |
|          |           |        |         |     |           |     |         | 83                              | 84     | 1                      | 0.57        |
|          |           |        |         |     |           |     |         | 88                              | 102    | 14                     | 0.95        |
|          |           |        |         |     |           |     |         | 112                             | 113    | 1                      | 0.69        |
|          |           |        |         |     |           |     |         | 134                             | 135    | 1                      | 0.53        |
|          |           |        |         |     |           |     |         | 136                             | 137    | 1                      | 0.65        |
| BBRC0377 | RC        | 299875 | 6567680 | 439 | 180       | -60 | 90      | 153                             | 154    | 1                      | 0.91        |
|          |           |        |         |     |           |     |         | 19                              | 21     | 2                      | 0.83        |
|          |           |        |         |     |           |     |         | 44                              | 54     | 10                     | 0.55        |
|          |           |        |         |     |           |     |         | 59                              | 69     | 10                     | 1.09        |

| Hole_ID  | Hole Type | East   | North   | RL  | Depth (m) | Dip | Azimuth | From (m) | To (m) | Significant Intercepts |             |
|----------|-----------|--------|---------|-----|-----------|-----|---------|----------|--------|------------------------|-------------|
|          |           |        |         |     |           |     |         |          |        | Gold (>0.5g/t)         |             |
|          |           |        |         |     |           |     |         |          |        | Interval (m)           | Grade (g/t) |
|          |           |        |         |     |           |     |         | 90       | 91     | 1                      | 0.6         |
|          |           |        |         |     |           |     |         | 100      | 101    | 1                      | 0.7         |
|          |           |        |         |     |           |     |         | 139      | 142    | 3                      | 1.71        |
| BBRC0378 | RC        | 299368 | 6565933 | 434 | 198       | -62 | 90      | 1        | 3      | 2                      | 0.72        |
|          |           |        |         |     |           |     |         | 112      | 113    | 1                      | 0.51        |
|          |           |        |         |     |           |     |         | 130      | 133    | 3                      | 1.16        |
|          |           |        |         |     |           |     |         | 161      | 162    | 1                      | 1.32        |
|          |           |        |         |     |           |     |         | 170      | 171    | 1                      | 0.89        |
| BBRC0379 | RC        | 299724 | 6565780 | 425 | 216       | -60 | 90      | 20       | 21     | 1                      | 0.56        |
|          |           |        |         |     |           |     |         | 35       | 36     | 1                      | 0.72        |
|          |           |        |         |     |           |     |         | 67       | 68     | 1                      | 2.75        |
|          |           |        |         |     |           |     |         | 97       | 99     | 2                      | 3.59        |
| BBRC0384 | RC        | 299939 | 6570470 | 439 | 202       | -60 | 90      | 5        | 7      | 2                      | 0.64        |
|          |           |        |         |     |           |     |         | 45       | 49     | 4                      | 1.19        |
|          |           |        |         |     |           |     |         | 53       | 61     | 8                      | 1.15        |
|          |           |        |         |     |           |     |         | 75       | 78     | 3                      | 0.95        |
|          |           |        |         |     |           |     |         | 83       | 95     | 12                     | 1.15        |
|          |           |        |         |     |           |     |         | 119      | 126    | 7                      | 0.59        |
|          |           |        |         |     |           |     |         | 134      | 135    | 1                      | 0.67        |
|          |           |        |         |     |           |     |         | 152      | 156    | 4                      | 3.39        |
| BBRC0385 | RC        | 300109 | 6571070 | 434 | 136       | -60 | 90      | 183      | 187    | 4                      | 1.19        |
|          |           |        |         |     |           |     |         | 4        | 5      | 1                      | 1.44        |
| BBRC0386 | RC        | 299897 | 6570670 | 438 | 238       | -60 | 90      | 45       | 46     | 1                      | 0.64        |
|          |           |        |         |     |           |     |         | 156      | 171    | 15                     | 0.65        |
|          |           |        |         |     |           |     |         | 199      | 200    | 1                      | 0.52        |
|          |           |        |         |     |           |     |         | 210      | 213    | 3                      | 0.58        |
|          |           |        |         |     |           |     |         | 231      | 232    | 1                      | 0.54        |
| BBRC0387 | RC        | 300062 | 6570670 | 438 | 250       | -60 | 90      | 233      | 234    | 1                      | 0.52        |
|          |           |        |         |     |           |     |         | 32       | 40     | 8                      | 0.71        |
|          |           |        |         |     |           |     |         | 44       | 48     | 4                      | 0.54        |
|          |           |        |         |     |           |     |         | 144      | 145    | 1                      | 1.65        |
|          |           |        |         |     |           |     |         | 198      | 199    | 1                      | 0.51        |
| BBRC0388 | RC        | 299503 | 6567630 | 445 | 346       | -60 | 90      | 201      | 202    | 1                      | 0.82        |
|          |           |        |         |     |           |     |         | 219      | 220    | 1                      | 0.92        |
|          |           |        |         |     |           |     |         | 239      | 240    | 1                      | 1.24        |
|          |           |        |         |     |           |     |         | 247      | 250    | 3                      | 1.67        |
|          |           |        |         |     |           |     |         | 254      | 258    | 4                      | 1.12        |
|          |           |        |         |     |           |     |         | 266      | 268    | 2                      | 0.55        |
|          |           |        |         |     |           |     |         | 273      | 274    | 1                      | 0.93        |

| Hole_ID  | Hole Type | East   | North   | RL  | Depth (m) | Dip | Azimuth | From (m)               | To (m) | Significant Intercepts |             |
|----------|-----------|--------|---------|-----|-----------|-----|---------|------------------------|--------|------------------------|-------------|
|          |           |        |         |     |           |     |         |                        |        | Gold (>0.5g/t)         |             |
|          |           |        |         |     |           |     |         |                        |        | Interval (m)           | Grade (g/t) |
|          |           |        |         |     |           |     |         | 280                    | 283    | 3                      | 0.66        |
|          |           |        |         |     |           |     |         | 295                    | 299    | 4                      | 0.53        |
|          |           |        |         |     |           |     |         | 315                    | 316    | 1                      | 0.88        |
|          |           |        |         |     |           |     |         | 320                    | 322    | 2                      | 1.13        |
|          |           |        |         |     |           |     |         | 338                    | 339    | 1                      | 0.5         |
|          |           |        |         |     |           |     |         | 345                    | 346    | 1                      | 0.94        |
| BBRC0389 | RC        | 299560 | 6565287 | 432 | 184       | -60 | 90      | 75                     | 76     | 1                      | 0.62        |
|          |           |        |         |     |           |     |         | 92                     | 95     | 3                      | 1.26        |
|          |           |        |         |     |           |     |         | 106                    | 109    | 3                      | 1.03        |
|          |           |        |         |     |           |     |         | 159                    | 160    | 1                      | 0.57        |
|          |           |        |         |     |           |     |         | 161                    | 162    | 1                      | 0.78        |
| BBRC0400 | RC        | 300063 | 6564403 | 419 | 112       | -60 | 45      | 49                     | 58     | 9                      | 0.72        |
|          |           |        |         |     |           |     |         | 63                     | 64     | 1                      | 0.69        |
| BBRC0401 | RC        | 300140 | 6566976 | 432 | 58        | -90 | 90      | 43                     | 45     | 2                      | 0.87        |
|          |           |        |         |     |           |     |         | 49                     | 50     | 1                      | 0.59        |
| BBRC0402 | RC        | 300137 | 6564419 | 419 | 88        | -60 | 45      | No significant results |        |                        |             |
| BBRC0403 | RC        | 300019 | 6564416 | 419 | 100       | -60 | 45      | 34                     | 35     | 1                      | 0.55        |
|          |           |        |         |     |           |     |         | 37                     | 38     | 1                      | 0.51        |
|          |           |        |         |     |           |     |         | 41                     | 42     | 1                      | 0.53        |
|          |           |        |         |     |           |     |         | 54                     | 55     | 1                      | 1.51        |
|          |           |        |         |     |           |     |         | 68                     | 69     | 1                      | 0.51        |
|          |           |        |         |     |           |     |         | 87                     | 88     | 1                      | 1.18        |
| BBRC0404 | RC        | 299961 | 6564360 | 419 | 136       | -60 | 45      | 103                    | 104    | 1                      | 0.68        |
| BBRC0405 | RC        | 299663 | 6564730 | 425 | 190       | -60 | 90      | 115                    | 118    | 3                      | 0.75        |
|          |           |        |         |     |           |     |         | 130                    | 132    | 2                      | 0.71        |
|          |           |        |         |     |           |     |         | 138                    | 139    | 1                      | 3.99        |
|          |           |        |         |     |           |     |         | 183                    | 190    | 7                      | 1.36        |
| BBRC0406 | RC        | 300005 | 6564347 | 419 | 148       | -60 | 45      | 85                     | 102    | 17                     | 0.79        |
| BBRC0407 | RC        | 300516 | 6564007 | 417 | 202       | -60 | 45      | 66                     | 70     | 4                      | 0.66        |
|          |           |        |         |     |           |     |         | 78                     | 83     | 5                      | 0.71        |
|          |           |        |         |     |           |     |         | 94                     | 98     | 4                      | 0.63        |
|          |           |        |         |     |           |     |         | 106                    | 107    | 1                      | 0.58        |
| BBRC0408 | RC        | 300260 | 6564093 | 417 | 166       | -60 | 45      | 120                    | 121    | 1                      | 0.54        |
|          |           |        |         |     |           |     |         | 126                    | 131    | 5                      | 0.96        |
|          |           |        |         |     |           |     |         | 136                    | 138    | 2                      | 0.97        |
| BBRC0409 | RC        | 299935 | 6564446 | 420 | 118       | -60 | 45      | 50                     | 51     | 1                      | 0.52        |
|          |           |        |         |     |           |     |         | 95                     | 100    | 5                      | 0.8         |
| BBRC0410 | RC        | 299479 | 6565880 | 432 | 156       | -60 | 90      | 64                     | 66     | 2                      | 1.21        |
|          |           |        |         |     |           |     |         | 101                    | 102    | 1                      | 0.5         |

| Hole_ID  | Hole Type | East   | North   | RL  | Depth (m) | Dip | Azimuth | From (m)                        | To (m) | Significant Intercepts |             |
|----------|-----------|--------|---------|-----|-----------|-----|---------|---------------------------------|--------|------------------------|-------------|
|          |           |        |         |     |           |     |         |                                 |        | Gold (>0.5g/t)         |             |
|          |           |        |         |     |           |     |         |                                 |        | Interval (m)           | Grade (g/t) |
|          |           |        |         |     |           |     |         | 112                             | 113    | 1                      | 1.36        |
|          |           |        |         |     |           |     |         | 120                             | 127    | 7                      | 0.95        |
|          |           |        |         |     |           |     |         | 140                             | 141    | 1                      | 1.01        |
| BBRC0411 | RC        | 299647 | 6565420 | 424 | 120       | -60 | 90      | 43                              | 45     | 2                      | 0.66        |
|          |           |        |         |     |           |     |         | 61                              | 66     | 5                      | 2.67        |
|          |           |        |         |     |           |     |         | incl. 1m @ 11.6g/t Au from 62m  |        |                        |             |
|          |           |        |         |     |           |     |         | 72                              | 73     | 1                      | 0.57        |
|          |           |        |         |     |           |     |         | 74                              | 78     | 4                      | 0.55        |
|          |           |        |         |     |           |     |         |                                 |        |                        |             |
| BBRC0412 | RC        | 299752 | 6566230 | 428 | 222       | -71 | 270     | Assays pending                  |        |                        |             |
| BBRC0413 | RC        | 299774 | 6566281 | 428 | 174       | -57 | 270     | 13                              | 15     | 2                      | 1.16        |
|          |           |        |         |     |           |     |         | 20                              | 21     | 1                      | 0.51        |
|          |           |        |         |     |           |     |         | 57                              | 65     | 8                      | 0.77        |
|          |           |        |         |     |           |     |         | 72                              | 75     | 3                      | 0.52        |
|          |           |        |         |     |           |     |         | 154                             | 155    | 1                      | 1.55        |
|          |           |        |         |     |           |     |         | 172                             | 174    | 2                      | 0.72        |
| BBRC0414 | RC        | 299550 | 6565420 | 432 | 198       | -60 | 90      | 3                               | 7      | 4                      | 0.55        |
|          |           |        |         |     |           |     |         | 70                              | 75     | 5                      | 1.68        |
|          |           |        |         |     |           |     |         | 82                              | 83     | 1                      | 0.53        |
|          |           |        |         |     |           |     |         | 101                             | 107    | 6                      | 9.99        |
|          |           |        |         |     |           |     |         | incl. 1m @ 55.3g/t Au from 104m |        |                        |             |
|          |           |        |         |     |           |     |         | 120                             | 121    | 1                      | 0.5         |
|          |           |        |         |     |           |     |         | 125                             | 126    | 1                      | 1.1         |
|          |           |        |         |     |           |     |         | 146                             | 147    | 1                      | 0.56        |
|          |           |        |         |     |           |     |         | 151                             | 152    | 1                      | 0.53        |
| BBRC0415 | RC        | 299883 | 6565780 | 424 | 132       | -60 | 90      | 38                              | 41     | 3                      | 1.39        |
|          |           |        |         |     |           |     |         | 49                              | 50     | 1                      | 0.8         |
| BBRC0416 | RC        | 299861 | 6565730 | 424 | 120       | -60 | 90      | No significant results          |        |                        |             |
| BBRC0417 | RC        | 299964 | 6565780 | 424 | 90        | -60 | 90      | No significant results          |        |                        |             |
| BBRC0418 | RC        | 299542 | 6565480 | 432 | 258       | -60 | 90      | 72                              | 81     | 9                      | 0.83        |
|          |           |        |         |     |           |     |         | 89                              | 90     | 1                      | 5.6         |
|          |           |        |         |     |           |     |         | 98                              | 99     | 1                      | 1.42        |
|          |           |        |         |     |           |     |         | 103                             | 104    | 1                      | 2.75        |
|          |           |        |         |     |           |     |         | 110                             | 134    | 24                     | 1.38        |
|          |           |        |         |     |           |     |         | 148                             | 149    | 1                      | 2.84        |
|          |           |        |         |     |           |     |         | 215                             | 217    | 2                      | 0.68        |
| BBRC0419 | RC        | 299573 | 6565350 | 431 | 244       | -60 | 90      | 68                              | 69     | 1                      | 0.69        |
|          |           |        |         |     |           |     |         | 86                              | 87     | 1                      | 1.03        |
|          |           |        |         |     |           |     |         | 98                              | 99     | 1                      | 2           |
| BBRC0420 | RC        | 299748 | 6565972 | 402 | 196       | -90 | 270     | 25                              | 26     | 1                      | 0.84        |

| Hole_ID   | Hole Type | East   | North   | RL  | Depth (m) | Dip | Azimuth | From (m) | To (m) | Significant Intercepts |             |
|-----------|-----------|--------|---------|-----|-----------|-----|---------|----------|--------|------------------------|-------------|
|           |           |        |         |     |           |     |         |          |        | Gold (>0.5g/t)         |             |
|           |           |        |         |     |           |     |         |          |        | Interval (m)           | Grade (g/t) |
|           |           |        |         |     |           |     |         | 68       | 72     | 4                      | 1.64        |
|           |           |        |         |     |           |     |         | 106      | 112    | 6                      | 0.88        |
| BBRC0421  | RC        | 299546 | 6566079 | 369 | 136       | -75 | 270     | 60       | 61     | 1                      | 0.63        |
|           |           |        |         |     |           |     |         | 97       | 99     | 2                      | 1.05        |
|           |           |        |         |     |           |     |         | 115      | 116    | 1                      | 1.86        |
| BBRD0422* | RC/DD     | 299546 | 6566079 | 369 | 213.94    | -80 | 90      | 8        | 9      | 1                      | 0.7         |
|           |           |        |         |     |           |     |         | 14       | 15     | 1                      | 0.61        |
|           |           |        |         |     |           |     |         | 28       | 29     | 1                      | 0.5         |
|           |           |        |         |     |           |     |         | 33       | 34     | 1                      | 0.74        |
|           |           |        |         |     |           |     |         | 40       | 41     | 1                      | 2.53        |
|           |           |        |         |     |           |     |         | 52       | 53     | 1                      | 0.76        |
|           |           |        |         |     |           |     |         | 57       | 62     | 5                      | 0.92        |
|           |           |        |         |     |           |     |         | 67       | 70     | 3                      | 0.73        |
|           |           |        |         |     |           |     |         | 74       | 79     | 5                      | 0.58        |
| BBRC0423  | RC        | 299569 | 6565980 | 366 | 121       | -60 | 90      | 106      | 109    | 3                      | 2.04        |
|           |           |        |         |     |           |     |         | 7        | 8      | 1                      | 2.32        |
|           |           |        |         |     |           |     |         | 13       | 14     | 1                      | 0.55        |
|           |           |        |         |     |           |     |         | 19       | 20     | 1                      | 0.53        |
|           |           |        |         |     |           |     |         | 38       | 39     | 1                      | 0.65        |
|           |           |        |         |     |           |     |         | 75       | 76     | 1                      | 1.42        |
|           |           |        |         |     |           |     |         | 105      | 106    | 1                      | 0.71        |
| BBRC0424  | RC        | 299557 | 6565980 | 365 | 126       | -80 | 270     | 117      | 118    | 1                      | 0.79        |
|           |           |        |         |     |           |     |         | 12       | 13     | 1                      | 0.58        |
|           |           |        |         |     |           |     |         | 14       | 15     | 1                      | 0.57        |
|           |           |        |         |     |           |     |         | 39       | 40     | 1                      | 0.98        |
|           |           |        |         |     |           |     |         | 43       | 45     | 2                      | 0.66        |
|           |           |        |         |     |           |     |         | 57       | 58     | 1                      | 0.62        |
|           |           |        |         |     |           |     |         | 73       | 79     | 6                      | 0.61        |
|           |           |        |         |     |           |     |         | 83       | 84     | 1                      | 0.53        |
|           |           |        |         |     |           |     |         | 118      | 119    | 1                      | 0.72        |
| BBRC0425  | RC        | 299594 | 6566765 | 377 | 252       | -90 | 90      | 123      | 124    | 1                      | 0.53        |
|           |           |        |         |     |           |     |         | 0        | 2      | 2                      | 3.25        |
|           |           |        |         |     |           |     |         | 130      | 131    | 1                      | 0.65        |
|           |           |        |         |     |           |     |         | 165      | 166    | 1                      | 0.88        |
|           |           |        |         |     |           |     |         | 178      | 179    | 1                      | 0.52        |
|           |           |        |         |     |           |     |         | 180      | 181    | 1                      | 0.67        |
|           |           |        |         |     |           |     |         | 185      | 196    | 11                     | 0.76        |
|           |           |        |         |     |           |     |         | 204      | 210    | 6                      | 1.11        |
| BBRC0426  | RC        | 299529 | 6566880 | 432 | 324       | -50 | 90      | 215      | 219    | 4                      | 0.67        |
|           |           |        |         |     |           |     |         | 87       | 90     | 3                      | 1.15        |

| Hole_ID  | Hole Type | East   | North   | RL  | Depth (m) | Dip | Azimuth | From (m)               | To (m) | Significant Intercepts |             |
|----------|-----------|--------|---------|-----|-----------|-----|---------|------------------------|--------|------------------------|-------------|
|          |           |        |         |     |           |     |         |                        |        | Gold (>0.5g/t)         |             |
|          |           |        |         |     |           |     |         |                        |        | Interval (m)           | Grade (g/t) |
|          |           |        |         |     |           |     |         | 95                     | 96     | 1                      | 0.69        |
|          |           |        |         |     |           |     |         | 99                     | 101    | 2                      | 0.92        |
|          |           |        |         |     |           |     |         | 112                    | 115    | 3                      | 0.59        |
|          |           |        |         |     |           |     |         | 128                    | 129    | 1                      | 0.62        |
|          |           |        |         |     |           |     |         | 192                    | 193    | 1                      | 1.3         |
|          |           |        |         |     |           |     |         | 200                    | 201    | 1                      | 0.96        |
|          |           |        |         |     |           |     |         | 223                    | 224    | 1                      | 0.62        |
|          |           |        |         |     |           |     |         | 250                    | 258    | 8                      | 0.53        |
|          |           |        |         |     |           |     |         | 260                    | 264    | 4                      | 0.51        |
|          |           |        |         |     |           |     |         | 266                    | 267    | 1                      | 0.67        |
|          |           |        |         |     |           |     |         | 272                    | 273    | 1                      | 1.19        |
|          |           |        |         |     |           |     |         | 280                    | 286    | 6                      | 1.5         |
|          |           |        |         |     |           |     |         | 294                    | 295    | 1                      | 1.2         |
|          |           |        |         |     |           |     |         | 303                    | 304    | 1                      | 0.56        |
| BBRC0427 | RC        | 299494 | 6565835 | 430 | 282       | -60 | 90      | 167                    | 168    | 1                      | 0.52        |
|          |           |        |         |     |           |     |         | 172                    | 175    | 3                      | 1.08        |
|          |           |        |         |     |           |     |         | 234                    | 235    | 1                      | 0.61        |
| BBRC0428 | RC        | 300125 | 6566780 | 432 | 60        | -75 | 90      | No significant results |        |                        |             |
| BBRC0429 | RC        | 299476 | 6566981 | 433 | 341       | -60 | 88      | 75                     | 76     | 1                      | 0.57        |
|          |           |        |         |     |           |     |         | 111                    | 112    | 1                      | 4.15        |
|          |           |        |         |     |           |     |         | 159                    | 160    | 1                      | 1.17        |
|          |           |        |         |     |           |     |         | 202                    | 203    | 1                      | 0.75        |
|          |           |        |         |     |           |     |         | 256                    | 268    | 12                     | 0.93        |
|          |           |        |         |     |           |     |         | 277                    | 278    | 1                      | 0.52        |
|          |           |        |         |     |           |     |         | 307                    | 311    | 4                      | 1.26        |
|          |           |        |         |     |           |     |         | 319                    | 320    | 1                      | 0.82        |
| BBRC0430 | RC        | 299555 | 6567780 | 438 | 318       | -60 | 90      | 102                    | 114    | 12                     | 1.49        |
|          |           |        |         |     |           |     |         | 143                    | 147    | 4                      | 0.57        |
|          |           |        |         |     |           |     |         | 152                    | 168    | 16                     | 0.52        |
|          |           |        |         |     |           |     |         | 182                    | 183    | 1                      | 3.02        |
|          |           |        |         |     |           |     |         | 192                    | 202    | 10                     | 1.55        |
|          |           |        |         |     |           |     |         | 207                    | 208    | 1                      | 0.78        |
|          |           |        |         |     |           |     |         | 214                    | 215    | 1                      | 0.91        |
|          |           |        |         |     |           |     |         | 259                    | 263    | 4                      | 1.1         |
|          |           |        |         |     |           |     |         | 269                    | 270    | 1                      | 7.74        |
| BBRC0431 | RC        | 299550 | 6567530 | 434 | 198       | -65 | 90      | 110                    | 111    | 1                      | 0.57        |
|          |           |        |         |     |           |     |         | 180                    | 192    | 12                     | 1.27        |
|          |           |        |         |     |           |     |         | 196                    | 197    | 1                      | 0.55        |
| BBRC0432 | RC        | 300152 | 6569630 | 449 | 282       | -60 | 90      | 40                     | 41     | 1                      | 0.82        |

| Hole_ID  | Hole Type | East   | North   | RL  | Depth (m) | Dip | Azimuth | From (m)               | To (m) | Significant Intercepts |             |
|----------|-----------|--------|---------|-----|-----------|-----|---------|------------------------|--------|------------------------|-------------|
|          |           |        |         |     |           |     |         |                        |        | Gold (>0.5g/t)         |             |
|          |           |        |         |     |           |     |         |                        |        | Interval (m)           | Grade (g/t) |
|          |           |        |         |     |           |     |         | 47                     | 49     | 2                      | 1.74        |
|          |           |        |         |     |           |     |         | 57                     | 58     | 1                      | 0.69        |
|          |           |        |         |     |           |     |         | 99                     | 104    | 5                      | 1.16        |
|          |           |        |         |     |           |     |         | 131                    | 150    | 19                     | 0.72        |
| BBRC0433 | RC        | 300072 | 6569630 | 450 | 225       | -60 | 90      | 42                     | 45     | 3                      | 0.6         |
|          |           |        |         |     |           |     |         | 67                     | 73     | 6                      | 0.85        |
|          |           |        |         |     |           |     |         | 121                    | 127    | 6                      | 1.5         |
|          |           |        |         |     |           |     |         | 137                    | 141    | 4                      | 0.58        |
|          |           |        |         |     |           |     |         | 160                    | 161    | 1                      | 1.96        |
|          |           |        |         |     |           |     |         | 176                    | 189    | 13                     | 0.76        |
|          |           |        |         |     |           |     |         | 198                    | 199    | 1                      | 1.89        |
| BBRC0434 | RC        | 299624 | 6568180 | 441 | 318       | -60 | 90      | 205                    | 216    | 11                     | 1.29        |
|          |           |        |         |     |           |     |         | 131                    | 144    | 13                     | 1.29        |
|          |           |        |         |     |           |     |         | 162                    | 166    | 4                      | 0.6         |
|          |           |        |         |     |           |     |         | 183                    | 184    | 1                      | 0.58        |
|          |           |        |         |     |           |     |         | 202                    | 204    | 2                      | 0.66        |
|          |           |        |         |     |           |     |         | 228                    | 232    | 4                      | 0.71        |
|          |           |        |         |     |           |     |         | 256                    | 257    | 1                      | 0.69        |
|          |           |        |         |     |           |     |         | 273                    | 276    | 3                      | 0.86        |
| BBRC0435 | RC        | 299740 | 6568480 | 446 | 293       | -60 | 90      | 283                    | 284    | 1                      | 0.57        |
|          |           |        |         |     |           |     |         | 134                    | 135    | 1                      | 0.55        |
|          |           |        |         |     |           |     |         | 148                    | 153    | 5                      | 0.74        |
|          |           |        |         |     |           |     |         | 165                    | 166    | 1                      | 0.5         |
|          |           |        |         |     |           |     |         | 180                    | 181    | 1                      | 0.54        |
|          |           |        |         |     |           |     |         | 198                    | 209    | 11                     | 1.09        |
|          |           |        |         |     |           |     |         | 236                    | 237    | 1                      | 0.5         |
|          |           |        |         |     |           |     |         | 245                    | 246    | 1                      | 0.5         |
|          |           |        |         |     |           |     |         | 253                    | 273    | 20                     | 0.61        |
|          |           |        |         |     |           |     |         | 277                    | 281    | 4                      | 0.51        |
| BBRC0436 | RC        | 299684 | 6568528 | 447 | 384       | -60 | 87      | 290                    | 291    | 1                      | 0.54        |
|          |           |        |         |     |           |     |         | Assays pending         |        |                        |             |
|          |           |        |         |     |           |     |         | No significant results |        |                        |             |
| BBRC0437 | RC        | 300195 | 6567090 | 432 | 72        | -60 | 89      | No significant results |        |                        |             |
| BBRC0438 | RC        | 299725 | 6568230 | 444 | 411       | -60 | 87      | Assays pending         |        |                        |             |
| BBRC0439 | RC        | 299991 | 6569625 | 448 | 174       | -60 | 88      | 31                     | 32     | 1                      | 1.54        |
|          |           |        |         |     |           |     |         | 51                     | 53     | 2                      | 1.4         |
|          |           |        |         |     |           |     |         | 58                     | 62     | 4                      | 1.25        |
| BBRC0440 | RC        | 300602 | 6563978 | 417 | 136       | -60 | 45      | 50                     | 51     | 1                      | 0.89        |
|          |           |        |         |     |           |     |         | 66                     | 67     | 1                      | 0.66        |
|          |           |        |         |     |           |     |         | 70                     | 71     | 1                      | 0.55        |

| Hole_ID  | Hole Type | East   | North   | RL  | Depth (m) | Dip | Azimuth | From (m)               | To (m) | Significant Intercepts |             |
|----------|-----------|--------|---------|-----|-----------|-----|---------|------------------------|--------|------------------------|-------------|
|          |           |        |         |     |           |     |         |                        |        | Gold (>0.5g/t)         |             |
|          |           |        |         |     |           |     |         |                        |        | Interval (m)           | Grade (g/t) |
|          |           |        |         |     |           |     |         | 96                     | 99     | 3                      | 0.75        |
|          |           |        |         |     |           |     |         | 104                    | 109    | 5                      | 0.52        |
|          |           |        |         |     |           |     |         | 116                    | 118    | 2                      | 0.8         |
|          |           |        |         |     |           |     |         | 122                    | 124    | 2                      | 0.89        |
| BBRC0441 | RC        | 300540 | 6563754 | 417 | 182       | -60 | 45      | 154                    | 158    | 4                      | 0.81        |
| BBRC0442 | RC        | 300171 | 6563952 | 416 | 220       | -60 | 45      | 189                    | 203    | 14                     | 1.73        |
|          |           |        |         |     |           |     |         | 214                    | 215    | 1                      | 0.84        |
| BBRC0443 | RC        | 300605 | 6563815 | 417 | 208       | -60 | 45      | Assays pending         |        |                        |             |
| BBRD0444 | RC/DD     | 300257 | 6564034 | 417 | 191       | -60 | 45      | Assays pending         |        |                        |             |
| BBRC0445 | RC        | 299989 | 6564388 | 419 | 136       | -61 | 45      | 75                     | 76     | 1                      | 0.64        |
|          |           |        |         |     |           |     |         | 81                     | 83     | 2                      | 1.29        |
| BBRC0446 | RC        | 299930 | 6564331 | 420 | 184       | -59 | 44      | 128                    | 130    | 2                      | 1.29        |
|          |           |        |         |     |           |     |         | 143                    | 144    | 1                      | 2.09        |
|          |           |        |         |     |           |     |         | 158                    | 160    | 2                      | 1.02        |
| BBRC0447 | RC        | 300778 | 6562735 | 412 | 124       | -60 | 44      | No significant results |        |                        |             |
| BBRC0448 | RC        | 299777 | 6564239 | 421 | 214       | -61 | 44      | 202                    | 205    | 3                      | 0.93        |
| BBRC0449 | RC        | 300201 | 6563923 | 416 | 250       | -60 | 44      | 186                    | 201    | 15                     | 1.77        |
|          |           |        |         |     |           |     |         | 213                    | 215    | 2                      | 1.45        |
| BBRC0450 | RC        | 299784 | 6565471 | 424 | 198       | -60 | 88      | 101                    | 102    | 1                      | 0.88        |
| BBRC0451 | RC        | 299469 | 6565526 | 434 | 258       | -60 | 88      | 5                      | 6      | 1                      | 2.48        |
|          |           |        |         |     |           |     |         | 88                     | 89     | 1                      | 3.78        |
|          |           |        |         |     |           |     |         | 97                     | 103    | 6                      | 0.69        |
|          |           |        |         |     |           |     |         | 111                    | 112    | 1                      | 1.50        |
|          |           |        |         |     |           |     |         | 127                    | 128    | 1                      | 0.57        |
|          |           |        |         |     |           |     |         | 139                    | 140    | 1                      | 0.52        |
|          |           |        |         |     |           |     |         | 156                    | 162    | 6                      | 0.93        |
|          |           |        |         |     |           |     |         | 168                    | 171    | 3                      | 0.80        |
|          |           |        |         |     |           |     |         | 180                    | 181    | 1                      | 1.01        |
|          |           |        |         |     |           |     |         | 186                    | 187    | 1                      | 0.73        |
|          |           |        |         |     |           |     |         | 248                    | 249    | 1                      | 1.04        |
| BBRC0452 | RC        | 299690 | 6566992 | 431 | 306       | -64 | 179     | 57                     | 60     | 3                      | 0.54        |
|          |           |        |         |     |           |     |         | 63                     | 64     | 1                      | 0.51        |
|          |           |        |         |     |           |     |         | 68                     | 69     | 1                      | 1.13        |
|          |           |        |         |     |           |     |         | 75                     | 77     | 2                      | 0.59        |
|          |           |        |         |     |           |     |         | 81                     | 82     | 1                      | 0.73        |
|          |           |        |         |     |           |     |         | 88                     | 91     | 3                      | 0.69        |
|          |           |        |         |     |           |     |         | 117                    | 118    | 1                      | 0.56        |
|          |           |        |         |     |           |     |         | 164                    | 165    | 1                      | 0.66        |
|          |           |        |         |     |           |     |         | 182                    | 183    | 1                      | 0.53        |
|          |           |        |         |     |           |     |         | 192                    | 193    | 1                      | 0.74        |

| Hole_ID  | Hole Type | East   | North   | RL  | Depth (m) | Dip | Azimuth | From (m)                                                           | To (m) | Significant Intercepts |             |
|----------|-----------|--------|---------|-----|-----------|-----|---------|--------------------------------------------------------------------|--------|------------------------|-------------|
|          |           |        |         |     |           |     |         |                                                                    |        | Gold (>0.5g/t)         |             |
|          |           |        |         |     |           |     |         |                                                                    |        | Interval (m)           | Grade (g/t) |
|          |           |        |         |     |           |     |         | 204                                                                | 212    | 8                      | 1.15        |
|          |           |        |         |     |           |     |         | 218                                                                | 219    | 1                      | 0.61        |
|          |           |        |         |     |           |     |         | 222                                                                | 223    | 1                      | 0.52        |
|          |           |        |         |     |           |     |         | 225                                                                | 227    | 2                      | 0.64        |
|          |           |        |         |     |           |     |         | 233                                                                | 239    | 6                      | 0.81        |
|          |           |        |         |     |           |     |         | 251                                                                | 258    | 7                      | 38.75       |
|          |           |        |         |     |           |     |         | incl. 4m @ 64.3g/t Au from 251m,<br>incl. 1m @ 196g/t Au from 252m |        |                        |             |
|          |           |        |         |     |           |     |         | 263                                                                | 265    | 2                      | 1.65        |
| BBRC0453 | RC        | 300106 | 6571250 | 430 | 180       | -60 | 90      | Assays pending                                                     |        |                        |             |
| BBRC0454 | RC        | 300040 | 6569830 | 448 | 222       | -60 | 90      | Assays pending                                                     |        |                        |             |
| BBRC0455 | RC        | 300250 | 6569830 | 448 | 228       | -60 | 90      | Assays pending                                                     |        |                        |             |
| BBRC0456 | RC        | 300275 | 6569727 | 446 | 222       | -85 | 270     | Assays pending                                                     |        |                        |             |
| BBRC0457 | RC        | 299717 | 6568420 | 445 | 366       | -65 | 90      | Assays pending                                                     |        |                        |             |
| BBRC0458 | RC        | 300230 | 6571255 | 435 | 246       | -60 | 90      | Assays pending                                                     |        |                        |             |
| BBRC0459 | RC        | 300269 | 6570954 | 438 | 216       | -60 | 90      | Assays pending                                                     |        |                        |             |
| BBRC0460 | RC        | 299880 | 6569536 | 446 | 354       | -65 | 89      | Assays pending                                                     |        |                        |             |
| BBRC0461 | RC        | 299730 | 6567279 | 432 | 252       | -60 | 90      | Assays pending                                                     |        |                        |             |
| BBRC0462 | RC        | 299852 | 6567277 | 433 | 210       | -59 | 91      | 42                                                                 | 61     | 19                     | 1.26        |
|          |           |        |         |     |           |     |         | 65                                                                 | 67     | 2                      | 0.62        |
|          |           |        |         |     |           |     |         | 79                                                                 | 82     | 3                      | 0.77        |
|          |           |        |         |     |           |     |         | 89                                                                 | 95     | 6                      | 1.06        |
|          |           |        |         |     |           |     |         | 103                                                                | 104    | 1                      | 2.92        |
|          |           |        |         |     |           |     |         | 110                                                                | 113    | 3                      | 0.53        |
|          |           |        |         |     |           |     |         | 135                                                                | 149    | 14                     | 0.97        |
|          |           |        |         |     |           |     |         | 154                                                                | 155    | 1                      | 0.89        |
|          |           |        |         |     |           |     |         | 164                                                                | 165    | 1                      | 3.69        |
|          |           |        |         |     |           |     |         | 186                                                                | 189    | 3                      | 0.60        |
| BBRC0463 | RC        | 300075 | 6570505 | 435 | 174       | -58 | 119     | 1                                                                  | 3      | 2                      | 0.88        |
|          |           |        |         |     |           |     |         | 50                                                                 | 52     | 2                      | 0.91        |
|          |           |        |         |     |           |     |         | 93                                                                 | 94     | 1                      | 0.99        |
|          |           |        |         |     |           |     |         | 98                                                                 | 99     | 1                      | 2.82        |
|          |           |        |         |     |           |     |         | 110                                                                | 111    | 1                      | 3.22        |
|          |           |        |         |     |           |     |         | 125                                                                | 130    | 5                      | 0.61        |
| BBRC0464 | RC        | 300089 | 6570766 | 431 | 198       | -61 | 93      | 0                                                                  | 1      | 1                      | 1.25        |
|          |           |        |         |     |           |     |         | 41                                                                 | 42     | 1                      | 0.57        |
|          |           |        |         |     |           |     |         | 47                                                                 | 49     | 2                      | 1.21        |
|          |           |        |         |     |           |     |         | 67                                                                 | 68     | 1                      | 0.95        |
|          |           |        |         |     |           |     |         | 72                                                                 | 79     | 7                      | 0.79        |

| Hole_ID  | Hole Type | East   | North   | RL  | Depth (m) | Dip | Azimuth | From (m) | To (m) | Significant Intercepts |             |
|----------|-----------|--------|---------|-----|-----------|-----|---------|----------|--------|------------------------|-------------|
|          |           |        |         |     |           |     |         |          |        | Gold (>0.5g/t)         |             |
|          |           |        |         |     |           |     |         |          |        | Interval (m)           | Grade (g/t) |
|          |           |        |         |     |           |     |         | 110      | 111    | 1                      | 0.57        |
|          |           |        |         |     |           |     |         | 116      | 118    | 2                      | 1.01        |
|          |           |        |         |     |           |     |         | 150      | 151    | 1                      | 0.88        |
| BBRC0465 | RC        | 300085 | 6570508 | 436 | 200       | -60 | 86      | 2        | 3      | 1                      | 0.64        |
|          |           |        |         |     |           |     |         | 9        | 11     | 2                      | 0.92        |
|          |           |        |         |     |           |     |         | 45       | 46     | 1                      | 0.50        |
|          |           |        |         |     |           |     |         | 64       | 65     | 1                      | 0.63        |
|          |           |        |         |     |           |     |         | 68       | 69     | 1                      | 0.61        |
|          |           |        |         |     |           |     |         | 73       | 75     | 2                      | 0.86        |
|          |           |        |         |     |           |     |         | 88       | 89     | 1                      | 0.85        |
|          |           |        |         |     |           |     |         | 108      | 109    | 1                      | 0.63        |
|          |           |        |         |     |           |     |         | 170      | 171    | 1                      | 0.65        |
| BBRC0466 | RC        | 300324 | 6570700 | 438 | 150       | -60 | 87      | 66       | 70     | 4                      | 0.64        |
| BBRC0467 | RC        | 300260 | 6570699 | 438 | 204       | -61 | 91      | 80       | 87     | 7                      | 1.53        |
|          |           |        |         |     |           |     |         | 116      | 120    | 4                      | 1.30        |
| BBRC0468 | RC        | 299820 | 6568031 | 442 | 204       | -60 | 89      | 37       | 51     | 14                     | 0.77        |
|          |           |        |         |     |           |     |         | 55       | 56     | 1                      | 0.51        |
|          |           |        |         |     |           |     |         | 58       | 59     | 1                      | 0.50        |
|          |           |        |         |     |           |     |         | 98       | 99     | 1                      | 0.52        |
|          |           |        |         |     |           |     |         | 102      | 106    | 4                      | 0.51        |
|          |           |        |         |     |           |     |         | 139      | 144    | 5                      | 2.65        |
|          |           |        |         |     |           |     |         | 166      | 176    | 10                     | 0.98        |
| BBRC0469 | RC        | 299663 | 6564578 | 422 | 174       | -60 | 90      | 168      | 170    | 2                      | 0.66        |
| BBRC0470 | RC        | 299309 | 6566578 | 432 | 357       | -55 | 89      | 155      | 156    | 1                      | 5.87        |
|          |           |        |         |     |           |     |         | 174      | 176    | 2                      | 5.71        |
|          |           |        |         |     |           |     |         | 209      | 210    | 1                      | 0.53        |
|          |           |        |         |     |           |     |         | 280      | 288    | 8                      | 1.84        |
|          |           |        |         |     |           |     |         | 346      | 347    | 1                      | 4.60        |
|          |           |        |         |     |           |     |         | 356      | 357    | 1                      | 0.53        |
| BBRC0471 | RC        | 300085 | 6566927 | 432 | 136       | -50 | 91      | 65       | 69     | 4                      | 0.62        |
|          |           |        |         |     |           |     |         | 72       | 73     | 1                      | 1.14        |
| BBRC0472 | RC        | 299637 | 6565084 | 428 | 166       | -60 | 88      | 59       | 61     | 2                      | 0.52        |
|          |           |        |         |     |           |     |         | 74       | 78     | 4                      | 0.52        |
|          |           |        |         |     |           |     |         | 93       | 94     | 1                      | 0.59        |
|          |           |        |         |     |           |     |         | 108      | 109    | 1                      | 0.66        |
|          |           |        |         |     |           |     |         | 118      | 119    | 1                      | 0.64        |
|          |           |        |         |     |           |     |         | 131      | 133    | 2                      | 1.62        |
|          |           |        |         |     |           |     |         | 139      | 141    | 2                      | 1.40        |
|          |           |        |         |     |           |     |         | 164      | 166    | 2                      | 25.49       |

| Hole_ID  | Hole Type | East   | North   | RL  | Depth (m) | Dip | Azimuth | From (m)                        | To (m) | Significant Intercepts |             |
|----------|-----------|--------|---------|-----|-----------|-----|---------|---------------------------------|--------|------------------------|-------------|
|          |           |        |         |     |           |     |         |                                 |        | Gold (>0.5g/t)         |             |
|          |           |        |         |     |           |     |         |                                 |        | Interval (m)           | Grade (g/t) |
|          |           |        |         |     |           |     |         | incl. 1m @ 49.5g/t Au from 164m |        |                        |             |
| BBRC0473 | RC        | 299723 | 6566027 | 403 | 211       | -71 | 270     | 0                               | 3      | 3                      | 1.32        |
|          |           |        |         |     |           |     |         | 8                               | 11     | 3                      | 0.56        |
|          |           |        |         |     |           |     |         | 33                              | 39     | 6                      | 0.58        |
|          |           |        |         |     |           |     |         | 55                              | 61     | 6                      | 0.82        |
|          |           |        |         |     |           |     |         | 81                              | 82     | 1                      | 0.50        |
|          |           |        |         |     |           |     |         | 134                             | 138    | 4                      | 1.77        |
|          |           |        |         |     |           |     |         | 142                             | 144    | 2                      | 0.97        |
| BBRC0474 | RC        | 299598 | 6566207 | 433 | 232       | -54 | 118     | 25                              | 26     | 1                      | 2.26        |
|          |           |        |         |     |           |     |         | 35                              | 46     | 11                     | 0.78        |
|          |           |        |         |     |           |     |         | 54                              | 55     | 1                      | 0.84        |
|          |           |        |         |     |           |     |         | 106                             | 107    | 1                      | 1.05        |
|          |           |        |         |     |           |     |         | 125                             | 127    | 2                      | 0.88        |
|          |           |        |         |     |           |     |         | 164                             | 168    | 4                      | 1.58        |
| BBRC0475 | RC        | 299824 | 6565926 | 421 | 232       | -59 | 271     | Assays pending                  |        |                        |             |
| BBRC0476 | RC        | 299887 | 6564522 | 416 | 136       | -61 | 44      | 29                              | 30     | 1                      | 4.74        |
|          |           |        |         |     |           |     |         | 37                              | 38     | 1                      | 0.92        |
|          |           |        |         |     |           |     |         | 49                              | 52     | 3                      | 1.63        |
|          |           |        |         |     |           |     |         | 58                              | 60     | 2                      | 0.85        |
|          |           |        |         |     |           |     |         | 111                             | 112    | 1                      | 0.51        |
| BBRC0477 | RC        | 299804 | 6566177 | 425 | 234       | -75 | 271     | Assays pending                  |        |                        |             |
| BBRC0478 | RC        | 300019 | 6564303 | 418 | 150       | -60 | 45      | 91                              | 92     | 1                      | 1.49        |
|          |           |        |         |     |           |     |         | 103                             | 104    | 1                      | 0.56        |
|          |           |        |         |     |           |     |         | 107                             | 108    | 1                      | 0.74        |
|          |           |        |         |     |           |     |         | 111                             | 115    | 4                      | 0.62        |
|          |           |        |         |     |           |     |         | 118                             | 119    | 1                      | 0.61        |
|          |           |        |         |     |           |     |         | 127                             | 128    | 1                      | 0.89        |
| BBRC0479 | RC        | 299742 | 6566683 | 429 | 216       | -85 | 94      | Assays pending                  |        |                        |             |
| BBRC0480 | RC        | 299909 | 6564417 | 420 | 150       | -60 | 44      | No significant results          |        |                        |             |
| BBRC0481 | RC        | 299832 | 6566828 | 430 | 264       | -69 | 273     | 71                              | 75     | 4                      | 0.55        |
|          |           |        |         |     |           |     |         | 95                              | 99     | 4                      | 0.56        |
|          |           |        |         |     |           |     |         | 141                             | 145    | 4                      | 0.81        |
|          |           |        |         |     |           |     |         | 189                             | 191    | 2                      | 0.86        |
|          |           |        |         |     |           |     |         | 201                             | 202    | 1                      | 1.64        |
|          |           |        |         |     |           |     |         | 220                             | 221    | 1                      | 0.66        |
|          |           |        |         |     |           |     |         | 226                             | 227    | 1                      | 0.74        |
| BBRC0482 | RC        | 299574 | 6566282 | 373 | 252       | -75 | 89      | Assays pending                  |        |                        |             |
| BBRC0483 | RC        | 299564 | 6566237 | 373 | 252       | -70 | 91      | Assays pending                  |        |                        |             |
| BBRC0484 | RC        | 299883 | 6570380 | 439 | 252       | -60 | 90      | Assays pending                  |        |                        |             |

| Hole_ID  | Hole Type | East   | North   | RL  | Depth (m) | Dip    | Azimuth | From (m)       | To (m) | Significant Intercepts |             |
|----------|-----------|--------|---------|-----|-----------|--------|---------|----------------|--------|------------------------|-------------|
|          |           |        |         |     |           |        |         |                |        | Gold (>0.5g/t)         |             |
|          |           |        |         |     |           |        |         |                |        | Interval (m)           | Grade (g/t) |
| BBRC0485 | RC        | 299844 | 6569872 | 443 | 204       | -60    | 90      | Assays pending |        |                        |             |
| BBRC0486 | RC        | 300031 | 6569666 | 448 | 252       | -60    | 90      | Assays pending |        |                        |             |
| BBRC0487 | RC        | 300123 | 6569585 | 451 | 222       | -60    | 90      | Assays pending |        |                        |             |
| BBWX001  | RC        | 300079 | 6569104 | 451 | 304       | -89.46 | 295.65  | Assays pending |        |                        |             |
| BBWX002  | RC        | 299732 | 6568484 | 446 | 304       | -89.88 | 13.07   | 162            | 163    | 1                      | 1.14        |
|          |           |        |         |     |           |        |         | 177            | 178    | 1                      | 0.61        |
|          |           |        |         |     |           |        |         | 182            | 186    | 4                      | 0.71        |
|          |           |        |         |     |           |        |         | 194            | 196    | 2                      | 0.74        |
| BBWX003  | RC        | 299905 | 6568820 | 454 | 298       | -89.85 | 99.98   | 45             | 46     | 1                      | 1.24        |
|          |           |        |         |     |           |        |         | 57             | 58     | 1                      | 0.56        |
|          |           |        |         |     |           |        |         | 76             | 79     | 3                      | 3.22        |
|          |           |        |         |     |           |        |         | 91             | 92     | 1                      | 0.54        |
|          |           |        |         |     |           |        |         | 167            | 173    | 6                      | 0.96        |
|          |           |        |         |     |           |        |         | 195            | 196    | 1                      | 0.57        |
|          |           |        |         |     |           |        |         | 272            | 276    | 4                      | 0.5         |
|          |           |        |         |     |           |        |         | 280            | 281    | 1                      | 0.62        |
| BBWX004  | RC        | 299460 | 6567480 | 434 | 298       | -89.87 | 212.92  | 228            | 232    | 4                      | 0.51        |
|          |           |        |         |     |           |        |         | 265            | 266    | 1                      | 3.89        |
|          |           |        |         |     |           |        |         | 297            | 298    | 1                      | 0.75        |
| BBWX005  | RC        | 299920 | 6571200 | 431 | 196       | -89.65 | 293.91  | Assays pending |        |                        |             |
| BBWX006  | RC        | 299820 | 6570942 | 433 | 232       | -89.75 | 127.27  | Assays pending |        |                        |             |
| BBWX007  | RC        | 299978 | 6569945 | 433 | 298       | -89.83 | 58.68   | Assays pending |        |                        |             |
| BBWX008  | RC        | 299980 | 6564870 | 420 | 197       | -90    | 0       | Assays pending |        |                        |             |
| BBWX009  | RC        | 299525 | 6565100 | 427 | 208       | -90    | 0       | Assays pending |        |                        |             |
| BBWX010  | RC        | 299217 | 6566430 | 447 | 409       | -90    | 0       | Assays pending |        |                        |             |
| BBWX011  | RC        | 300041 | 6564167 | 418 | 259       | -90    | 0       | Assays pending |        |                        |             |
| BBWX012  | RC        | 300595 | 6563689 | 417 | 298       | -90    | 0       | Assays pending |        |                        |             |
| BBWX013  | RC        | 301088 | 6563613 | 420 | 221       | -90    | 0       | Assays pending |        |                        |             |

\*Diamond tail results reported only. See previous announcements for RC pre-collar results.

**Appendix 2 – Bullabulling Project – JORC Code 2012 Table 1 Criteria**

The table below summarises the assessment and reporting criteria used for the Bullabulling Project and reflects the guidelines in Table 1 of *The Australasian Code for the Reporting of Exploration Results, Mineral Resources and Ore Reserves* (the JORC Code, 2012).

**Section 1 Sampling Techniques and Data**

| Criteria                   | JORC Code explanation                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Sampling techniques</b> | <p><i>Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</i></p> <p><i>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</i></p> <p><i>Aspects of the determination of mineralisation that are Material to the Public Report.</i></p> <p><i>In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.</i></p> | <p>The Bullabulling Mineral Resource estimate is based on 158 diamond core holes (DD and RC_DD of NQ, HQ and PQ diameter) for a total of 23,728 m and 5,909 RC drillholes (5.5" face sampling hammer) for a total of 415,018m, drilled between 1985 and 2025 by various companies.</p> <p>This is a subset of the project database which comprises approximately 12,500 holes for a total of 620,000m, including AC, RAB and auger holes which were only utilised for geological interpretation where appropriate data was available.</p> <p>Approximately 75% of the holes used for estimation were drilled pre-2010</p> <p><b>Minerals 260 Limited</b></p> <p>RC samples were collected by the metre from the drill rig in calico bags via a cone splitter with a bulk coarse reject sample collected in buckets and poured on the ground.</p> <p>2–5 kg samples were collected from each metre of RC drilling with samples typically dry. Rock chips for logging were obtained by sieving a large scoop from each bag. Washed chips were placed into appropriately labelled chip trays.</p> <p>Cyclones regularly cleaned to remove hung-up clays and avoid cross-sample contamination. The coarse reject samples were weighed in small campaigns only, and the weight recorded in an Excel spreadsheet which was later entered into the database. Calico weights are recorded at the laboratory.</p> <p>Diamond core (HQ, NQ and PQ) sampled in intervals of ~1.0 m (with a minimum of 0.3 m) where possible, otherwise intervals less than 1.0 m selected based on geological boundaries.</p> <p>Drill core samples were typically half HQ and NQ. PQ core was reserved for metallurgical sampling. Samples of approximately 10 cm length were selected by the geologist and subject to bulk density measurements using the water displacement method.</p> <p>The core was cut in half parallel to the orientation mark, with one half retained and the other half sent to the laboratory for analysis.</p> <p>For RC and DD samples, entire samples were oven dried for 24 hours, weighed and pulverised with 85% &lt;75µm. If the primary sample was larger than 3 kg it was split prior to pulverising. A 50 g charge is collected and subject to fire assay (Au-AA26) and analysed for gold using atomic absorption spectrometry (AAS).</p> <p>Portable x-ray fluorescence (pXRF) determinations were performed to verify litho-geochemistry only using a Olympus Vanta portable analyser, which was regularly calibrated.</p> <p>All collars are initially collected via handheld GPS, with a surveyor to be commissioned to collect final coordinates via a differential global positioning system (GPS) (accuracy ±0.1 m).</p> <p><b>Bullabulling Gold Limited (Bullabulling Gold)</b></p> <p>Sampling techniques are as per Minerals 260, other than the below:</p> <p>RC samples coarse reject sample collected in plastic mining</p> |

| Criteria                     | JORC Code explanation                                                                                                                                                                                                                                                                      | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                              |                                                                                                                                                                                                                                                                                            | <p>bags. The coarse reject samples were weighed, and the weight recorded in a field book which was later entered into the database.</p> <p>Magnetic susceptibility was measured using a model KT-10 portable magnetic susceptibility metre with readings taken at 1 m intervals.</p> <p>Portable x-ray fluorescence (pXRF) determinations were performed to verify litho-geochemistry only using a PAS XL3t 950s GOLDD+ portable analyser, which was regularly calibrated.</p> <p>All collars surveyed by Fugro Spatial Solutions or ABIMS by differential global positioning system (GPS) (accuracy <math>\pm 0.1</math> m).</p> <p><b>Historical (pre-2000)</b></p> <p>Similar sampling practices with a riffle splitter utilised for RC sampling.</p> <p>No information is available on the sample preparation practices.</p> <p>Gold analysis was by a mixture of methods (fire assay and acid digest, acid digest only and bottle roll), followed by AAS finish.</p>                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Drilling techniques</b>   | <i>Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</i> | <p>Drilling techniques from 1974 to 2025 includes:</p> <p>Aircore (AC) – standard 3.5" AC drill bit</p> <p>Rotary air blast (RAB) – standard 4.25" drill bit</p> <p>RC – 5.5" with face sampling hammer</p> <p>NQ2 DD core, standard tube</p> <p>HQ3 DD core, standard tube</p> <p>PQ3 DD core, standard tube.</p> <p>AC and RAB holes were used to inform geological interpretations only in the resource estimate where appropriate data was available.</p> <p>The drilling was typically aligned at <math>-60^\circ</math> to the east, which is appropriate given the strike and dip of the mineralisation. The bulk of the drilling is RC with DD holes completed for bulk density determinations and metallurgical testing.</p> <p>Holes were drilled on a nominal 35 m x 75 m grid spacing historically, with 40m x 40m by Minerals 260. RC drillholes range in depth from 1 m to 348 m, averaging 59 m. Bullabulling Gold DD holes range in depth from 136 m to 573.5 m, averaging 355 m.</p> <p>DD holes were drilled directly from surface or from base of RC pre-collars. All Bullabulling Gold, DD core was oriented where possible using an ACT REFLEX (ACT II RD) tool. All Minerals 260 DD core is oriented with an Axis orientation tool. It is unknown how historical drill core was oriented and is assumed to be to industry standards.</p> |
| <b>Drill sample recovery</b> | <i>Method of recording and assessing core and chip sample recoveries and results assessed.</i>                                                                                                                                                                                             | <p>Sample recoveries for Bullabulling Gold's and Minerals 260's RC drilling is visually estimated and recorded for each metre in Micromine Field Marshal (Bullabulling Gold) and validated Excel logging software (Minerals 260).</p> <p>Analysis of historical results yielded an average recovery of 97%.</p> <p>For DD core, recovery was measured and recorded for every metre in Micromine Field Marshal software (Bullabulling Gold) or validated Excel sheets (Minerals 260).</p> <p>Diamond core recoveries averaged 99% for historical core.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |

| Criteria                                              | JORC Code explanation                                                                                                                                                                                    | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|-------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                       | <i>Measures taken to maximise sample recovery and ensure representative nature of the samples.</i>                                                                                                       | There is no recovery information available for the historical drilling.<br><b>Minerals 260</b><br>RC drill collars were sealed to prevent sample loss and holes were normally drilled dry to prevent poor recoveries and contamination caused by water ingress.<br>For DD drillholes, core blocks were inserted in sections where core loss has occurred. This was recorded on the block and during the logging process and with photography of wet core.                                                                                                                                                                             |
|                                                       | <i>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</i>                                  | No relationship between sample recovery and grade was noted.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Logging</b>                                        | <i>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</i> | For RC drilling, geological logging was undertaken on chip samples at 1 m intervals with lithology, oxidation strength, mineralogy, grain size, texture, colour, vein infill and percentage, metal sulphide percentage and alteration type and strength recorded.<br><br>Geological logging, structural measurements, rock-quality designation (RQD) and recovery measurements were carried out on DD core. DD core was photographed wet and dry.<br><br>XRF determinations of lithophile elements nickel and chromium were utilised to confirm the visual identification of ultramafic or komatiitic units (Bullabulling Gold only). |
|                                                       | <i>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</i>                                                                                            | The logging was quantitative, based on visual field estimates                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                                                       | <i>The total length and percentage of the relevant intersections logged.</i>                                                                                                                             | All holes were logged from start to finish and all logging was done with sufficient detail to meet the requirements of resource estimation and mining studies.                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Sub-sampling techniques and sample preparation</b> | <i>If core, whether cut or sawn and whether quarter, half or all core taken.</i>                                                                                                                         | DD core sample lengths were adjusted so that they did not cross lithological boundaries with ~1 m sample intervals ideally used. Samples are collected from half core cut using an onsite diamond saw. The remaining half core was stored as a library sample.                                                                                                                                                                                                                                                                                                                                                                        |
|                                                       | <i>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</i>                                                                                                     | Non-core samples were collected as 1 m samples. RC samples were collected using a cone splitter (Bullabulling Gold and Minerals 260) or riffle splitter (historical) to cut the sample stream and produce a 2–5 kg sample.                                                                                                                                                                                                                                                                                                                                                                                                            |
|                                                       | <i>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</i>                                                                                                | Sample preparation followed industry best practice standards and was conducted by internationally recognised laboratories including ALS (2025-current), Amdel, Jinning, Genalysis (2010-2014) and A.C.E. Laboratories Kalgoorlie and Broken Hill Minerals Southern Cross laboratory (pre-2010).<br><br>Sample preparation included oven drying, jaw crushing and pulverising to 80% passing 75 µm.                                                                                                                                                                                                                                    |
|                                                       | <i>Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</i>                                                                                             | Field duplicates were collected at a rate of 1 in 20 on average. A proportion of pulp duplicates were re-submitted for assay and then assayed by an umpire laboratory.<br><br>Subsampling is performed during the preparation stage according to the laboratory's internal protocols.                                                                                                                                                                                                                                                                                                                                                 |
|                                                       | <i>Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling.</i>                          | Measures taken to ensure representative drill samples included:<br><br>Regular cleaning of cyclones and sampling equipment to prevent contamination<br><br>Statistical comparison of field and laboratory duplicates, standards and blanks<br><br>Statistical comparison of anomalous composite assays versus average of follow up 1 m assays.                                                                                                                                                                                                                                                                                        |

| Criteria                                          | JORC Code explanation                                                                                                                                                                                              | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|---------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                   | <i>Whether sample sizes are appropriate to the grain size of the material being sampled.</i>                                                                                                                       | The entire sample (2–5 kg) was submitted to the laboratory consistent with industry standards.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Quality of assay data and laboratory tests</b> | <i>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</i>                                                            | <p>Assay and laboratory procedures were selected following a review of techniques provided by internationally certified laboratories.</p> <p><b>Historical</b></p> <p>Pre-1994 samples were analysed for gold at A.C.E. Laboratories using a 24-hour bottle roll cyanide extraction technique with an AAS finish. Residues of all samples with solution reads greater than 0.4 g/t Au were assayed by Genalysis using the fire assay/AAS technique.</p> <p>Post-1994, samples were sent to Broken Hill Minerals Southern Cross laboratory who used an acid digest/AAS technique with a 0.01 g/t Au detection limit.</p> <p><b>Bullabulling Gold</b></p> <p>From June 2010 to December 2012, samples were assayed for gold at ALS facilities by the fire assay method (50 g charge 0.01 g/t Au detection limit).</p> <p>RC samples from five pre-collars in the first DD drilling program (June to August 2010) were assayed at ALS using by fire assay (30 g charge 0.002 g/t Au detection limit) and half core samples by fire assay (30 g charge 0.01 g/t Au detection limit). Solutions from samples assaying &gt;10 g/t Au were diluted and reanalysed using method Au-DIL (Au overlimit by dilution).</p> <p>The final gold assay was selected in priority of Au-DIL then 50 g charge then 30 g charge.</p> <p>From January 2013 to April 2014, samples were assayed for gold at the Bureau Veritas laboratory in Kalgoorlie laboratory using a 40 g charge (0.01 g/t Au detection limit).</p> <p>The assay techniques used are total.</p> <p><b>Minerals 260</b></p> <p>From April 2025, samples were assayed for gold at ALS facilities by the fire assay method (50 g charge 0.01 g/t Au detection limit), with ME-ICP61 and four acid digest for 34 elements:</p> <p>Ag, Al, As, Ba, Be, Bi, Ca, Cd, Co, Cr, Cu, Fe, Ga, K, La, Li, Mg, Mn, Mo, Na, Ni, P, Pb, S, Sb, Sc, Sr, Th, Ti, Tl, U, V, W, Zn.</p> <p>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</p> <p>Bullabulling Gold performed XRF determinations to verify litho-geochemistry using a PAS XL3t 950s GOLDD+ handheld XRF (pXRF). The pXRF readings were not representative of grade intervals and are not reported.</p> <p>Minerals 260 use an Olympus Vanta pXRF to assist with litho-geochemistry. The pXRF readings were not representative of grade intervals and are not reported.</p> <p><b>Historical</b></p> <p>Bullabulling Gold inserted field duplicates at a rate of 1 in 20 samples on average. A proportion of pulp duplicates were re-submitted for assay including assay by an umpire laboratory.</p> <p>Laboratory standards checked for accuracy and precision.</p> <p>No information is available on the historical quality control procedures and is assumed to be done to industry standards.</p> <p><b>Minerals 260</b></p> <p>QAQC samples are inserted 1:10 samples, with a combination of blanks, certified reference materials and field duplicates. QAQC results are analysed monthly to ensure there is no bias in samples.</p> |
|                                                   | <i>Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established</i> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |

| Criteria                                     | JORC Code explanation                                                                                                                                                              | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|----------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Verification of sampling and assaying</b> | <i>The verification of significant intersections by either independent or alternative company personnel.</i>                                                                       | Intersections were peer reviewed in-house.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                                              | <i>The use of twinned holes.</i>                                                                                                                                                   | No twin holes were drilled.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                                              | <i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i>                                                  | <p><b>Historical</b></p> <p>All Bullabulling Gold field data was manually collected, entered into Micromine Field Marshall software, validated in Micromine, and loaded into a commercial database (GBIS). All electronic data was routinely backed up. Data was exported as csv files for processing by several different software packages.</p> <p>No information is available on the historical data management and is assumed to be done to industry standards.</p> <p><b>Minerals 260</b></p> <p>Data is collected and entered into validated Excel spreadsheets, validated in Micromine, and loaded into an MX Deposit database where additional checks are performed by an external contractor. Data is exported as an Access database to use in various software packages.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                                              | <i>Discuss any adjustment to assay data.</i>                                                                                                                                       | There was no requirement to adjust assay data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Location of data points</b>               | <i>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i> | The local mine grid was based on AMG Zone 51 coordinates up until 2014. From 2015 onwards GDA94/MGA Zone 51 was used including for the resource estimate. Nominal RLs based on regional topographic datasets were used initially; however, these were updated as differential GPS coordinates were collected.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                                              | <i>Specification of the grid system used</i>                                                                                                                                       | <b>Bullabulling Gold</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                                              | <i>Quality and adequacy of topographic control.</i>                                                                                                                                | <p>All collars were surveyed by Fugro Spatial Solutions or ABIMS by differential GPS (accuracy <math>\pm 0.1\text{m}</math>). A campaign of differential GPS surveys of surviving historical collars was undertaken by Fugro and results compared with the inherited database. Results indicated that the location data for historical drilling is accurate.</p> <p>Almost all drilling was subject to gyroscopic survey. No downhole surveys were undertaken on vertical holes.</p> <p>From January 2011 to April 2014, continuous downhole surveys were performed mainly in-rod by gyroscopic technique on the bulk of RC drillholes (85%). A proportion (13%) were surveyed down open hole. 24 holes where downhole surveys were unable to be performed relied on collar survey data for downhole traces.</p> <p><b>Historical</b></p> <p>Very few of the historical RC drillholes have downhole surveys and therefore rely on collar information.</p> <p>Historical DD holes have downhole survey information based on Eastman camera surveys, with minimal hole deviation noted.</p> <p>Collar surveys were completed by Spectrum Surveys and Datum Surveys using an unknown survey instrument. Coordinates were resurveyed to ensure accuracy, with Datum Survey data given preference, where available.</p> <p><b>Minerals 260</b></p> <p>All collars are initially surveyed with handheld GPS (accuracy <math>\pm 5\text{m}</math>), with all drill collars to be picked up by an external surveyor using a differential GPS. Coordinates are collected in GDA94/MGA Zone 51.</p> <p>Downhole surveys for all holes are conducted with a True North Seeking Gyro, which is regularly calibrated.</p> |
|                                              |                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

| Criteria                                                       | JORC Code explanation                                                                                                                                                                                                               | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|----------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Data spacing and distribution</b>                           | <i>Data spacing for reporting of Exploration Results.</i>                                                                                                                                                                           | <p><b>Historical</b></p> <p>Drilling of the main 7 km north-south Bullabulling mineralised trend was completed along a set of east-west trending sections. The section spacing typically ranges from 20 m x 20 m apart to 35 m x 75 m apart. Preliminary drilling of the northwest-southeast oriented portion of the mineralised trend over a strike length of 2 km was undertaken on east-west sections.</p> <p>From January 2013, infill drilling of the northwest-southeast oriented trend along the Kraken areas was completed on northeast-southwest trending sections orthogonal to the mineralised trend. Section spacing was maintained at 35 m x 75 m.</p> <p>Areas were classified as Indicated where there is infill drilling at 20–40 m along strike and 20 m on section and where the geological and grade continuity are robust. Areas with drill spacing 40–80 m along strike and/or along section were classified as Inferred. All laterite material was set to Inferred as the drilling is predominantly historical.</p> <p><b>Minerals 260</b></p> <p>Infill and step out drilling is conducted at 40m along section and 40 to 50m along strike. Exploration holes are completed on an 160 x 160m spacing initially, with infill holes drilled pending results.</p> |
|                                                                | <i>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</i> | <p>The section spacing is sufficient to establish the degree of geological and grade continuity necessary to support the resource classifications applied.</p> <p>The spacing of holes is considered of sufficient density to provide an "Indicated" or "Inferred" classification under the JORC Code (2012).</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                                                                | <i>Whether sample compositing has been applied.</i>                                                                                                                                                                                 | <p><b>Historical</b></p> <p>No sample compositing was applied to historical drilling.</p> <p><b>Minerals 260</b></p> <p>For intervals deemed to have a low potential of mineralisation based on surrounding data, samples are composited to 4m samples with the 1m samples retained. Samples are scooped off the drill pad and placed into a calico. If results are anomalous, the 1m samples are sent for analysis.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Orientation of data in relation to geological structure</b> | <i>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</i>                                                                   | <p>Drilling was angled typically at -60° to achieve the most representative intersections through mineralisation.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                                                                | <i>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</i>                   | <p>Drilling is typically oriented perpendicular to the interpreted strike of the geology and no bias is envisaged.</p> <p>No sampling bias was observed.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Sample security</b>                                         | <i>The measures taken to ensure sample security.</i>                                                                                                                                                                                | <p><b>Historical</b></p> <p>Bullabulling Gold's RC and DD core samples were collected from drill site and delivered by the company to either to ALS or Amdel in Kalgoorlie following standard chain of custody procedures.</p> <p>Core prepared for metallurgical testwork was stored at site and then freighted to ALS' metallurgical facility in Perth. Pulp samples are boxed and stored at site in locked sea containers.</p> <p>There is no available information on the historical sample security which is assumed to be done to industry standards.</p> <p><b>Minerals 260</b></p> <p>RC and DD core samples were collected from drill site and delivered by freight company to ALS in Perth following standard chain of custody procedures.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

| Criteria                 | JORC Code explanation                                                        | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                        |
|--------------------------|------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Audits or reviews</b> | <i>The results of any audits or reviews of sampling techniques and data.</i> | <p>In late 2011, a review of the ALS assay data was undertaken by contractor RSC who made a number of recommendations to improve laboratory practices. Following the review, the quality of the quality control samples submitted by Bullabulling Gold improved.</p> <p>In March 2025, an audit of ALS, Perth was conducted by Minerals 260 geologists to view laboratory practices and cleanliness. No issues were observed.</p> |

## Section 2 Reporting of Exploration Results

| Criteria                                       | JORC Code explanation                                                                                                                                                                                                                                                                                                                                                                                                                             | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Mineral tenement and land tenure status</b> | <p><i>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</i></p> <p><i>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</i></p> | <p>The Bullabulling Project comprises 11 granted Mining Leases (M15/1414, M15/282, M15/483, M15/503, M15/529, M15/552, M15/554, M15/1878, M15/1879, M15/1880, M15/1881). 1 Mining Lease application (M15/1939). 7 granted Exploration Licences (E15/1392, E15/1485, E15/2111, E15/2112, E15/2113, E15/2114, E15/2118). 1 Exploration Licence Applications (E15/2117, E15/2150). 17 granted General Purpose Leases (G15/47, G15/30, G15/31, G15/32, G15/33, G15/34, G15/35, G15/36, G15/37, G15/38, G15/39, G15/40, G15/41, G15/42, G15/44, G15/45, G15/49). 18 granted Miscellaneous Licences (L15/156, L15/157, L15/158, L15/196, L15/206, L15/218, L15/222, L15/328, L15/330, L15/331, L15/332, L15/333, L15/334, L15/335, L15/336, L15/339, L15/358, L15/357). 2 Miscellaneous License Applications (L15/359, M15/499). 8 granted Prospecting Licences (P15/6062, P15/6208, P15/6209, P15/6210, P15/6211, P15/6212, P15/6213, P15/6618). 6 Prospecting Licence Applications (P15/6971, P15/6972, P15/6973, P15/7010, P15/7011, P15/7012). 26 Prospecting Licences subject to an option agreement (P15/6427, P15/6474 to P15/6492, P15/6559 to P15/6264).</p> <p>The tenement package forms a contiguous, ~587 km2 area located ~65 km southwest of Kalgoorlie, Western Australia.</p> <p>The 26 Prospecting Licences subject to an option agreement are held by Belararox Limited</p> <p>All other tenements are 100%-owned by Bullabulling Operations Pty Ltd (BOPL) and Minerals 260 Holdings Pty Ltd, which are wholly owned subsidiaries of Minerals 260 Limited.</p> <p>Several tenements are subject to royalties:</p> <p>Franco Nevada Australia Pty Ltd – 1% gross royalty on all gold produced from M15/282, M15/552 and M15/554</p> <p>Vox Royalty Australia Pty Ltd – A\$10/fine ounce (or fine ounce equivalent) of gold produced (post the first 100,000 ounces produced) on M15/503 and M15/1414.</p> <p>The Bullabulling Project is largely contained within the Bullabulling Pastoral Lease owned by Bullabulling Operations Pty Ltd. Bullabulling Operations Pty Ltd has agreed to transfer the Bullabulling Pastoral Lease to Norton Gold Fields Pty Ltd. Norton Gold Fields Pty Ltd is the beneficial holder of the Bullabulling Pastoral Lease. An Access and Compensation Deed has been executed with Norton Gold Fields Pty Ltd providing permission to access to the Bullabulling Pastoral Lease on completion of the transfer</p> <p>Bullabulling Operations Pty Ltd and Bullabulling Gold Pty Ltd has a Native Title Land Use Agreement in place.</p> <p>All granted licences are currently in good standing.</p> |

| Criteria                                 | JORC Code explanation                                                | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|------------------------------------------|----------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exploration done by other parties</b> | <i>Acknowledgment and appraisal of exploration by other parties.</i> | <p>Ownership of the Bullabulling Project has changed several times since initial exploration work in the early 1970s. The major work phases included:</p> <p>Western Mining Corporation from 1974 to 1982: 150 RC holes were drilled to the north of the current Phoenix pit.</p> <p>Valiant Consolidated Ltd and Hill Minerals NL joint venture in 1985. Work included magnetic surveys, soil sampling and RC and RAB drilling which led to the discovery of the Bacchus deposit.</p> <p>Central Kalgoorlie Gold Mines NL explored the area north and south of the Great Eastern Highway at the same time focusing on the laterite gold mineralisation. Drilling confirmed the presence of lateritic and primary mineralisation and the existence of the Phoenix deposit.</p> <p>Samantha Gold NL purchased the project in 1993. The drilling database at the time consisted of 6,500 auger, RAB, AC, RC and DD holes. Samantha continued RC drilling focusing on the Bacchus and Phoenix areas. Samantha Gold became Resolute Samantha Limited and then Resolute Limited in 1996.</p> <p>Open pit mining commenced in 1995 and focused on the Bacchus and Phoenix areas. Small pits were also developed in the Hobbit and Dicksons areas exploiting supergene mineralisation.</p> <p>In 2002, Jervois Mining Limited acquired the project from Resolute and commenced a small heap leach operation.</p> <p>Jervois Mining Limited sold the project to Auzex Resources Limited in February 2010. Ongoing exploration was carried out under a joint venture with GGG Resources Plc. By February 2012, 696 holes (mostly RC) totalling 114,259 m had been drilled.</p> <p>Bullabulling Gold Limited was formed in April 2012 following GGG Resources purchase of Auzex Resources 50% interest in the project. A further 69 holes for 10,816 m of mostly RC drilling had been completed by April 2013 including resource updates in 2012 and 2013 and a prefeasibility study in 2013.</p> <p>In September 2014, Norton Gold Fields ("Norton") completed a takeover of Bullabulling Gold who in turn was acquired by Zijin Mining Group Co. Ltd in May 2015. Additional exploration and metallurgical drilling and testwork was completed along with a Mineral Resource update, mining studies and environmental surveys.</p> |
| <b>Geology</b>                           | <i>Deposit type, geological setting and style of mineralisation.</i> | <p>The Bullabulling project is located within the Coolgardie Domain of the Kalgoorlie Terrane in the Archaean Yilgarn Craton of Western Australia.</p> <p>The greenstone sequences within Coolgardie Domain are bounded by the Zuleika Shear to the east and the Ida Fault to the west. The Kunanalling Shear Zone passes through the middle of the domain.</p> <p>The domain comprises a series of north-south striking mafic, ultramafic, felsic volcanic and sedimentary rocks which are extensively metamorphosed from multiple deformation phases ranging from greenschist to amphibolite facies metamorphism. The stratigraphy is generally dipping 30–40° to the west and is cut by numerous pegmatite/aplite dykes and sills. Variations in dip occur due to folding and occasional faulting.</p> <p>Gold mineralisation is hosted in a continuous sequence of amphibolite which strikes over approximately 8 km. The amphibolites range from hornblende-rich to quartz-rich and overlie an ultramafic basement.</p> <p>The Bullabulling trend is typified by a network of ductile high strain zones and folds that broadly parallel the stratigraphy and are the result of multiple deformation events. The structures have allowed fluid flow into the amphibolite</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |

| Criteria                                                                | JORC Code explanation                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|-------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | sequence resulting in the deposition and remobilisation of gold.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Drill hole Information</b>                                           | <p>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:</p> <ul style="list-style-type: none"> <li>easting and northing of the drill hole collar</li> <li>elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar</li> <li>dip and azimuth of the hole</li> <li>down hole length and interception depth</li> <li>hole length.</li> </ul>                                                                           | <p>Provided in Appendix 1</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Data aggregation methods</b>                                         | <p>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated.</p> <p>Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</p> <p>The assumptions used for any reporting of metal equivalent values should be clearly stated.</p> | <p>Drilling assays have been composited using a weighted average of gold grades, with a 0.5g/t Au cut-off. No top cuts have been applied to grades. The resource cut-off is 0.4g/t Au.</p> <p>Shorter intercepts with higher grades have been reported provided the grade (g/t Au) x thickness (m) is equal or greater than 1.</p> <p>N/A</p>                                                                                                                                                                                                                                                                               |
| <b>Relationship between mineralisation widths and intercept lengths</b> | <p>These relationships are particularly important in the reporting of Exploration Results.</p> <p>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</p> <p>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known').</p>                                                                                                                                                                             | <p>The Bullabulling mineralisation parallels the stratigraphy where it dips at between 15° and 60° towards the west, averaging around 30°. Southeast of Kraken, the mineralisation is oriented about an open fold with the stratigraphy and strikes northwest-southeast with mineralisation dipping between 30° and 45° to the southwest.</p> <p>Drilling has been completed perpendicular to mineralisation with most holes orientated to the east and dipping at -60°.</p> <p>The true thickness of mineralisation is estimated at between 85% and 95% of the reported drillhole intercepts, unless otherwise stated.</p> |
| <b>Diagrams</b>                                                         | <p>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</p>                                                                                                                                                                                                                                                                                                    | <p>Refer to Figures in body of the announcement.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Balanced reporting</b>                                               | <p>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</p>                                                                                                                                                                                                                                                                                                                                             | <p>All RC and diamond drilling results by Minerals 260 for the Bullabulling project have been reported in Appendix 1.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Other substantive exploration data</b>                               | <p>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and</p>                                                                                                                                                                                                                                                          | <p>All other substantive exploration data is reported in this announcement.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |

| Criteria            | JORC Code explanation                                                                                                                       | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                     | <i>rock characteristics; potential deleterious or contaminating substances.</i>                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Further work</b> | <i>The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling).</i> | <p>Mineral 260' has the following activities planned for 2025:</p> <ul style="list-style-type: none"> <li>• RC and DD infill and extensional drilling at main deposit areas.</li> <li>• Initial testing of regional targets.</li> <li>• Sterilisation drilling</li> <li>• Water bore drilling.</li> <li>• Geotechnical and metallurgical drilling and testwork.</li> <li>• Heritage and environmental surveys.</li> <li>• Auger drilling</li> </ul> |