



Improving Lives



Phase I/II ASD 20 Week Results & Capital Raise: Investor Presentation

Dr Tom Duthy
Executive Director

26 October 2022

Disclaimer



IMPORTANT INFORMATION

Purpose of presentation: This presentation (including this document, any related video or oral presentation, any question and answer session and any written or oral material discussed or distributed in relation to this presentation) has been prepared by Neurotech International Limited (ACN 610 205 402) (Neurotech or Company). It has been prepared for the sole purpose of providing general information on Neurotech and its business.

Not an offer or solicitation: This presentation is not investment advice nor an offer to subscribe for securities or otherwise invest in Neurotech, and it should not be relied upon to make any investment decision. Further, it does not constitute an offer to sell, or the solicitation of an offer to buy, nor shall there be any sale of securities pursuant to this presentation in any state or other jurisdiction in which such offer, solicitation or sale would be unlawful under applicable law, including the Securities Act of 1933 (USA), as amended (US Securities Act). Securities have not been registered under the US Securities Act or any US state securities laws and may not be offered or sold in the United States absent registration or an applicable exemption from registration under the US Securities Act and applicable state securities laws.

Not a prospectus: This presentation is not a prospectus, product disclosure statement or other investment disclosure document, and the level of disclosure in this presentation is less than such disclosure documents. It has not been lodged with any regulatory or supervisory body. This presentation does not purport to contain all of the information that a prospective investor may require to make an evaluation of Neurotech or its business activities and nothing in this presentation is, or is intended to be, a recommendation to invest in Neurotech. Neurotech does not purport to give financial or investment advice. Account has not been taken of the objectives, financial situation or needs of any recipient of this presentation.

Forward-looking statements: This presentation contains forward-looking statements which may be predictive in nature and incorporate an element of uncertainty or risk, such as 'intends', 'may', 'could', 'believes', 'estimates', 'targets' or 'expects'. These statements are based on an evaluation of current economic and operating conditions, as well as assumptions regarding future events.

These events are, as at the date of this presentation, expected to take place, but there cannot be any guarantee that such will occur as anticipated, or at all, given that many of the events are outside Neurotech's control. The stated events may differ materially from results ultimately achieved. Accordingly, neither Neurotech nor any of its directors, employees, contractors or advisors make any warranty or assurance that the results, performance or achievements expressed or implied by the forward-looking statements contained in this presentation will actually occur. Further, other than as required by law, Neurotech may not update or revise any forward-looking statement if events subsequently occur or information subsequently becomes available that affects the original forward-looking statement.

Disclaimer: Neither Neurotech nor its officers, employees, contractors or advisers make any warranty (express or implied) as to the accuracy, reliability, relevance or completeness of the material contained in this presentation. Nothing contained in this presentation is, or may be relied upon as a promise, representation or warranty, whether as to the past or the future. Neurotech excludes all warranties that can be excluded by law. Except for statutory liability which cannot be excluded, Neurotech, its officers, employees, contractors and advisers expressly disclaim any responsibility for the accuracy or completeness of the material contained in this presentation and exclude all liability whatsoever (including in negligence) for any loss or damage which may be suffered by any person as a consequence of any information in this presentation or any error or omission therefrom.

Professional advice: Recipients of this presentation should consider seeking appropriate professional financial, taxation and legal advice in reviewing the presentation and all other information with respect to Neurotech and evaluating its business, financial performance and operations.

Proprietary information and copyright: This presentation and the information it contains is proprietary to Neurotech. Neurotech holds the copyright in this presentation. Except as permitted under the Copyright Act 1968 (Australia), this paper or any part thereof may not be reproduced without its written permission.

Presentation Contents

ASD Phase I/II
Results



Neurotech
Strategies



Pipeline &
Milestones



Summary &
Outlook



Capital
Raise



Phase I/II Clinical Results: Autism Spectrum Disorder (ASD)

“The goals of treatment for ASD are to improve core deficits in social communication and social interactions and minimize the impact of restricted behaviours, with an overarching goal to help children develop greater functional skills and independence.”¹



Autism Spectrum Disorder (ASD)

PREVALENCE OF ASD
~1 in 44 children
in the US¹

Market

ASD is a serious neuro inflammatory developmental disorder that impairs the ability to **communicate & interact**

Common symptoms; behavioural issues, agitation, repetitive movements, inability to focus & compulsive neurological patterns

TREATMENT
MARKET SIZE
US\$1.85b²



RISPERIDONE
Approved 2006
(irritability label claim)

Current Treatment

Huge unmet medical need - patients need better treatment

Current drugs have numerous side effects; weight gain, breast tissue development, nausea, dry mouth, anxiety, irritability, insomnia, stomach pain & movement disorders



Clinical Trial

Initial Focus of NTI164 – A full spectrum, oral cannabinoid biopharmaceutical product

Strong Scientific Rationale

- Anti-inflammatory effects + safety
- Clinician support
- High Patient/Caregiver interest
- Risperidone not a clinical standard



NTI164 ASD Phase I/II - Trial Design

The Program

First in human Phase I/II ASD paediatric study

Commenced in May 2021 at Monash Children's Hospital led by A/Prof. Michael Fahey

Open label – single group

14 patients from 8 to 17yo, Level II and III Autism Spectrum Disorder

Dose regime assessments

5mg/kg, 10mg/kg, 15mg/kg and 20mg/kg

2,250 Assessment points

Parameters Anxiety, Participation, Irritability, Hyperactivity, Mood and Self-stimulation

Data Released
8 July 2022

NTI164 ASD Phase I/II – Safety/Efficacy (28 Day Recap)

NTI164 was Safe

No serious adverse events recorded
Across all doses

93% of patients showed improvement

CGI - Global Improvement

64% of patients "much improved"
29% of patients "minimally improved"
7% of patients "no change"


NTI164 reduced 'Severity of Illness' score by 0.8 (18%)

Average rating for the severity of illness at baseline: 4.4

Average rating for the severity of illness at 28 Days of treatment with NTI164 was 3.6

p= 0.027

(Note: A p-value < 0.05 is considered statistically significant)



All participants requested to continue for at least 54 weeks – progressive data collected including at 20 weeks

NTI164 ASD Phase I/II – Safety (20 week Data)

NTI164 Safety Effects Maintained Over 20 Weeks

No serious adverse events recorded


Across all doses

58% patients continued to tolerate maximum dose (20 mg/kg/day) over course of 20 weeks

Only 1 patient on Risperidone at enrollment (not considered a preferred standard of care)

Adverse events were tolerated and manageable

i.e. mild nausea, abdominal pain



**A total of 12 patients
evaluable at 20 weeks**

2 patients stopped treatment
(not drug related)

Conclusion: NTI164 longer term (chronic) administration now established with an excellent safety profile and minimal patient-specific side-effects: safety data collected to 54 weeks ongoing

Summary Outcome Measures

Sub-Domain	Scale	P-value (Paired T-Test)	Wilcoxon Signed-Rank Test
Severity of illness	CGI-S	0.005	0.010
Global improvement	CGI-S	n/a*	n/a*
Therapeutic effect	CGI-S	n/a*	n/a*
Adaptive behaviour composite (Total)	Vineland-3	0.0005	0.003
Communication	Vineland-3	0.002	0.004
Daily living skills	Vineland-3	0.019	0.025
Socialisation	Vineland-3	0.014	0.012
Social responsive scale – Total	SRS-2	0.012	0.013
Social awareness	SRS-2	0.596	0.439
Social cognition	SRS-2	0.028	0.036
Social communication	SRS-2	0.019	0.018
Social motivation	SRS-2	0.118	0.138
Restricted interest and repetitive behaviour	SRS-2	0.009	0.014
Social communication and interaction	SRS-2	0.029	0.021
Anxiety scale for children - Child's total	ASC-ASD-C	0.025	0.012
Performance anxiety	ASC-ASD-C	0.364	0.474
Anxious arousal	ASC-ASD-C	0.12	0.089
Separation anxiety	ASC-ASD-C	0.025	0.035
Uncertainty	ASC-ASD-C	0.033	0.035
Anxiety scale for children - Parent's total	ASC-ASD-P	0.034	0.053
Performance anxiety	ASC-ASD-P	0.07	0.096
Anxious arousal	ASC-ASD-P	0.333	0.229
Separation anxiety	ASC-ASD-P	0.025	0.033
Uncertainty	ASC-ASD-P	0.066	0.084
Sleep disturbances scale for children - Total	SDSC	0.016	0.018
Disorders of initiating and maintaining sleep	SDSC	0.01	0.026
Sleep breathing disorders	SDSC	0.047	0.042
Sleep-wake transition disorders	SDSC	0.094	0.072
Anxiety, depression and mood scale – Total	ADAMS	0.001	0.009

* t-test cannot be performed due to different measurement scale used at baseline




Clinical Interpretation

- Statistical significance (p<0.05):
 - 20/27 measures assessed at 20 weeks
 - Study was not statistically powered for any efficacy measures (safety was primary endpoint)
- Highly significant results for the most clinically important measures:
 - Severity of illness
 - Adaptive behaviour
 - Anxiety, depression and mood
 - Social responsiveness
- Consistent improvements across multiple standard clinical measures at 20 weeks versus baseline do not support a placebo effect

NTI164 ASD Phase I/II – Efficacy (20 week Data)

CGI-Global improvement ¹





Clinical Interpretation


- 100% of active patients showed improvement after 20 weeks of daily treatment with NTI164
- All patients had a global improvement of 2: Much improved



1. Clinical Global Impression (CGI) - is a physician/observer-rated scale synthesizing the clinician's impression of the global state of an individual & frequently employed in clinical trials for neuropsychiatric disorders. Baseline and 28 day data as previously reported has been normalised to exclude those two patients who did not complete 20 weeks of daily NTI164 treatment. The CGI is a 3-item observer-rated scale that measures illness severity, global improvement and therapeutic effect.

NTI164 ASD Phase I/II – Efficacy (20 week Data)

CGI-Therapeutic Effect¹



- 1 = Marked** - Vast improvement. Complete or nearly complete remission of all symptoms. No side effects.
- 2 = Marked** - Vast improvement. Complete or nearly complete remission of all symptoms. Side effects do not significantly interfere with patient's functioning.
- 5 = Moderate** - Decided improvement. Partial remission of symptoms. No side effects.
- 6 = Moderate** - Decided improvement. Partial remission of symptoms. Side effects do not significantly interfere with patient's functioning.
- 7 = Moderate** - Decided improvement. Partial remission of symptoms. Side effects significantly interfere with patient's functioning.
- 9 = Minimal** - Slight improvement. Doesn't alter status of care of patient. No side effects.
- 10 = Minimal** - Slight Improvement. Doesn't alter status of care for patient. Side effects do not significantly interfere with patient's functioning.
- 13 = Unchanged or Worse**. No side effects.




Clinical Interpretation

- 67% of active patients demonstrated the highest possible efficacy indexes of 1 and 2: Complete or nearly complete remission of all symptoms.
- 33% of patients were decidedly improved. Partial remission of symptoms
- Potential for further improvement to 54 weeks

1. Clinical Global Impression (CGI) - is a physician/observer-rated scale synthesizing the clinician's impression of the global state of an individual & frequently employed in clinical trials for neuropsychiatric disorders. Baseline and 28 day data as previously reported has been normalised to exclude those two patients who did not complete 20 weeks of daily NTI164 treatment. The CGI is a 3-item observer-rated scale that measures illness severity, global improvement and therapeutic effect.

NTI164 ASD Phase I/II – Efficacy (20 Week Data)

CGI-Severity of illness¹ (p = 0.005)



Mean Severity of Illness (n=12)



Clinical Interpretation

- NTI164 treatment is associated with a significant reduction in disease severity (1.1 scale change, 26% improvement)
- ~40% of subjects markedly or severely ill at baseline – 0% from week 4 onwards
- Potential for further improvement to 54 weeks

1. Clinical Global Impression (CGI)- is a physician/observer-rated scale synthesizing the clinician's impression of the global state of an individual & frequently employed in clinical trials for neuropsychiatric disorders. Baseline and 28 day data as previously reported has been normalised to exclude those two patients who did not complete 20 weeks of daily NTI164 treatment. The CGI is a 3-item observer-rated scale that measures illness severity, global improvement and therapeutic effect.

NTI164 ASD Phase I/II – Efficacy (20 week Data)

Vineland™-3¹

Standardised measure of adaptive behaviour (3 month+ measure)

Norm-based: adaptive functioning compared to others of same age

Excellent test, re-test reliability & between rater (clinician, parent)



Clinical Interpretation

- Adaptive behaviour improvement is a treatment goal in ASD
- Highly significant improvements in composite outcome **AND** individual domains of communication, daily living, socialisation at 20 weeks

Vineland-3 Domain	P-value (Paired T-Test)
Adaptive behaviour composite	0.0005
Communication	0.002
Daily living skills	0.019
Socialisation	0.014

1. Vineland™-3 is internationally recognised as a leading instrument for supporting the diagnosis of intellectual and developmental disabilities in ASD; specifically adaptive behaviour. Adaptive functioning, which are skills people need to function independently at home, at school and in the community is an important factor in predicting long-term outcomes for people with ASD. Improving adaptive abilities in patients is therefore a desirable treatment goal. The adaptive behaviour composite consists of (a) communication, (b) daily living skills & (c) socialisation. Baseline data as previously reported has been normalised to exclude those two patients who did not complete 20 weeks of daily NTI164 treatment.

NTI164 ASD Phase I/II – Efficacy (20 week Data)

SRS™-2¹

Children with autism spectrum disorder have difficulty with social interaction behaviours, including establishing and maintaining relationships, reciprocating social interaction, and communicating with others. SRS-2 is a validated measurement tool of assessing these factors

SRS-2 Domain	P-value (Paired T-Test)
Total	0.012
Social awareness	0.596
Social cognition	0.028
Social communication	0.019
Social motivation	0.118
Restricted interest and repetitive behaviour	0.009
Social communication and interaction	0.029



Clinical Interpretation

- Achieved strong overall statistical significance for social responsiveness (p=0.012)
- NTI164 targets social skills: beneficial for social functioning and social anxiety symptoms
- Social communication differences are one of the core features of ASD

1. Social Responsiveness Scale (SRS™-2) is internationally recognised as a leading instrument (65 items) for identifying the presence and severity of social impairment within the autism spectrum and differentiates it from that which occurs in other disorders. The SRS-2 total score is the most reliable measure for social deficits related to ASD. SRS-2 is distinct from other measures in that it provides a continuous measure of social ability (from impaired to above average) instead of a categorical yes/no identification of ASD impairments. High scores are associated with more severe social impairments. SRS-2 is a valid and reliable quantitative measure of core ASD symptoms related to social impairment.

Anxiety (Parent/Child)

Anxiety Scale	Baseline Mean	Week 20 Mean	Mean Difference	P Value (Paired T-test)
Parent Version (ASC-ASD-P) <i>n</i> =10	29.4	22.2	-7.2	0.034
Child Version (ASC-ASD-C) <i>n</i> =11	29.5	18.2	-11.2	0.025

40% of young people with ASD have clinically elevated levels of anxiety or at least one anxiety disorder. It is particularly important to recognize and treat anxiety in ASD since it has a great impact on the course and the core aspects of the disorder, exacerbating social withdrawal as well as repetitive behaviours.¹



Clinical Interpretation

- Statistically significant and clinically meaningful 24% improvement in anxiety scale (parent, $p=0.034$) and 38% improvement in child version ($p=0.025$)
- Improvements in anxiety, adaptive behaviour and social responsiveness: important benefits for child

1. Anxiety and Depression Association of America

Data Comparison & Context - Risperidone



RISPERIDONE



NTI164

CGI-Severity of illness

- (n=96): -1.0 from baseline at 12 months¹
- (n=38): -0.7 from baseline at 48 weeks²

- -1.1 change at 20 weeks (p=0.005), 26% improvement
- ~40% of subjects markedly or severely ill at baseline – 0% from week 4 onwards
- At 20 weeks, mean result: 100% mildly ill

CGI- Improvement

- (n=15): CGI-I changes after 8 weeks from baseline³
 - 27% - very much improved
 - 47% - much improved
 - 20% - minimal improved
 - 6.6% - no change

- 100% of active patients showed improvement after 20 weeks of daily treatment with NTI164
- All patients had a global improvement of ‘2. Much improved’

Vineland™-3

- Near absence of RCTs examining Vineland noted in the medical literature
- No impact on social interaction and communication⁴

- Adaptive behaviour composite score (p=0.001)
- Highly significant improvement
- Highly significant improvements also in domains of communication, daily living, socialisation at 20 weeks

Safety

- Significant weight gain Increase in BMI by 0.62¹
- Weight gain²
- Increase in appetite, sedation³

- No change to weight
- No change to appetite
- Mild nausea, stomach pain

RCT- randomised controlled trial; BMI – Body Mass index

“The goals of treatment for ASD are to improve core deficits in social communication and social interactions and minimize the impact of restricted behaviours, with an overarching goal to help children develop greater functional skills and independence.”



1. Kent, et al. Risperidone Dosing in Children and Adolescents with Autistic Disorder: A Double-Blind, Placebo-Controlled Study. Journal of autism and developmental disorders. 2012. 43. 10.1007
2. A Study to Evaluate the Efficacy and Safety of Risperidone (R064766) in Children and Adolescents With Irritability Associated With Autistic Disorder, 2015
3. Ghaeli P et al. Effects of risperidone on core symptoms of autistic disorder based on childhood autism rating scale: an open label study. Indian J Psychol Med. 2014 Jan;36(1):66-70.
4. McDougle CJ, et al.. Risperidone for the core symptom domains of autism: results from the study by the autism network of the research units on pediatric psychopharmacology. Am J Psychiatry. 2005 Jun;162(6):1142-8

NTI164 ASD Phase I/II – Conclusions

- Any significant change over time for measures of CGI-S, Vineland™-3 and SRS™-2 are considered clinically meaningful: NTI164 showed sig. improvement for all measures at 20 weeks v baseline
- NTI164 is a patient ‘enabling’ drug with non-drug behavioural therapies, by improving daily living and allowing children to integrate into society via significant improvements in socialisation & anxiety versus ‘restrictive’ prescription of Risperidone (prevention of aggression, irritability)
- Approximately 6,300 assessment points now collected at 20 weeks. Trial continues to 54 weeks, with data to form part of FDA IND submission
- Data strongly supports progression to randomised, double-blind, placebo-controlled ASD Phase II/III clinical trial: expected to commence in Q4 CY2022 – HREC has been submitted

Professor Michael Fahey – Lead Investigator

“I am extremely encouraged by the 20-week results and the clinical improvements in troubling symptoms we have seen to date. These benefits, as measured by standardised scales, relate to global improvement, severity of illness, socialisation, adaptive behaviour, communication and reduction in anxiety. These results provide positive momentum as we move to the commencement of the next phase of clinical development. This is a strong indication that NTI164 has the potential to be an enabling treatment for some of the symptoms that cause people with Autism Spectrum Disorder distress.”

Neurotech: Strategies, Pipeline, Milestones, Outlook



Neurotech is a clinical-stage biopharmaceutical development company focused predominately on paediatric neurological disorders




NTI164 exclusive worldwide
licence for neurological
disorders




PCT patent
applications lodged



Novel oral
biopharmaceutical
cannabinoid platform
(NTI164)



Extensive pre-clinical
studies completed
(NTI164)




World first Phase I/II trial
in ASD completed




Mente device &
therapy for ASD

Neurotech Four Core Strategies




Focus on Paediatric Patients



Focus On Rare Neurological Disorders with Neuroinflammation



Focus on Partnering with Key Opinion Leaders / Clinicians




Focus On Drug Product Development

Strategic Focus Offers Significant Value Upside



Focus on Paediatric Patients

- Often overlooked by big pharma
- Can be unencumbered drug therapy markets (no standard of care, no approved treatments)
- Lack of clinical trials that may compete for patients
- Ability to leverage significant regulatory levers at FDA & EMA: orphan designation, breakthrough status, fast-track, priority review



Focus On Rare Neurological Disorders with Neuroinflammation

- Literature well-established for cannabinoids / extracts on inflammatory processes
- NTI164 shown strong pre-clinical effects on inflammation, neuro-protection, neuro-modulation and neuro-regulation
- NTI164 shown efficacy in serious neuroinflammatory developmental disorder: Autism Spectrum Disorder
- Often chronic disorders requiring continued therapeutic intervention (higher lifetime patient value)



Focus on Partnering with Key Opinion Leaders / Clinicians

- Paediatric Neurology focus with supportive Human Research Ethics Committees (HRECs)
- Availability of patients / caregivers for clinical trials
- Decades of experience in paediatric clinical trials – sound trial design frameworks and outcomes
- Paediatric neurological disorders tend to have strong clinical networks / advocacy groups



Focus on Drug Product Development

- Regulated Drug Product via FDA, TGA, EMA (barrier to entry)
- Manufacture under Good Manufacturing Practice (GMP) & robust CMC (Chemistry, Manufacture, Controls)(barrier to entry)
- Premium Drug Pricing
- Reimbursement for “on-label” prescribing

Rapid Progress from Lab to Clinic Drives Strategy

2020

Extraction of Drug Product
(NTI164) & Pre-Clinical Data

- Reduction in brain cell inflammation (up to 60%)
- Increase in overall brain cell health and viability (in the absence of toxic insult up to 80%)
- Increase in mitochondrial viability and output (in the presence of toxic insult up to 60%)
- Significant suppression of neuro-markers linked to MS (GM-CSF < 40% and TNF-alpha < 30%)
- Multi-functional Mode of Action | neuro-protection, neuro-modulation and neuro-regulation

2021

Manufacture Scale-Up &
Analytical Methods Established

Patent Applications (Novel
Composition & Methods)



2022

Phase I/II Clinical Trial (Safety)
+ Efficacy Shown in Autism
Spectrum Disorder (ASD)
Children

2023

Beach Head ASD Results Drives
New Clinical Trials in Pediatric
Neurological Disorders

Phase I/II
PANDAS/PANS¹

Phase I/II
Cerebral Palsy

Phase II/III
ASD


1. Paediatric Autoimmune Neuropsychiatric Disorders Associated with Streptococcal Infections (PANDAS) and Paediatric Acute-Onset Neuropsychiatric Syndrome (PANS)

Rapid Pipeline Progression

Pipeline (Pro-Forma 1 Jan 2023)

Pipeline (2020/1)

- NTI164
Combination Therapies
Prednisone, Diclofenac, Other
- NTI164
Neuronal Cell Assays
- Other Licensed Strains



Key 12 Month Milestones – NTI164

Q4 CY2022

- Human Research Ethics Committee (HREC) Clearance ASD Phase II/III
- HREC/TGA Approval PANDAS/PANS Phase I/II Clinical Trial
- Completion of FDA Pre-IND Package
- Commencement of Patient Recruitment ASD Phase II/III Clinical Trial
- HREC Submission Cerebral Palsy Phase I/II Clinical Trial

1H CY2023


- Commencement of Patient Recruitment PANDAS/PANS Phase I/II Clinical Trial
- HREC/TGA Approval Cerebral Palsy Phase I/II Clinical Trial
- Commencement of Patient Recruitment Cerebral Palsy Phase I/II Clinical Trial
- Completion of Patient Recruitment PANDAS/PANS Phase I/II Clinical Trial
- FDA Pre-IND Meeting
- Additional paediatric neurological disorder clinical trial launch

2H CY2023


- Results of PANDAS/PANS Phase I/II Clinical Trial
- Completion of Patient Recruitment Cerebral Palsy Phase I/II Clinical Trial
- Completion of Patient Recruitment ASD Phase II/III Clinical Trial
- US FDA IND submission
- Results of Cerebral Palsy Phase I/II Clinical Trial

Summary of Strategy


Group Strategy



Potential Regulatory Levers



Commercialisation Examples*



- Focus on rare paediatric neurological disorders
- Longer term safety and solid efficacy of NTI164 now established in a predominant paediatric neurological disorder with strong neuroinflammatory effects (ASD)
- Accelerated clinical development via rapid & cost-effective proof of concept Phase I/II clinical trials in Australia for new paediatric neurological disorders (PANDAS/PANS & CP)
- Strong clinician engagement
- Access to numerous regulatory levers from the FDA and EMA
- Additional funding provides sufficient runway to complete all current clinical trials and pathway with the US FDA – significant valuation upside if met



Highly Experienced Executive Team and Board



Mark Davies
Non-Executive Director

More than 20 years' experience in trading, investment banking & providing corporate advice
Specialises in providing corporate advice & capital raising services to emerging companies seeking business development opportunities and funding from the Australian market
Managing Director of 1861 Capital and co-founder of investment banking firm, Cygnet Capital
BCom



Dr Thomas Duthy
Executive Director

Dr Duthy has over 18 years of direct financial market and executive level/ Board experience with ASX listed companies.

Director of Nemean Group -corporate advisory and investor relations services in the Life Sciences and Technology sectors.

PhD Molecular Microbiology, MBA, MAICD



Prof. Allan Cripps AO
Non-Executive Director
Chief Scientist

Distinguished academic, clinical scientist and health services leader

Independent Chair of the Children's Health Research Alliance Board and Non- Executive Director at Bard1 (BD1)

Formerly the Pro Vice Chancellor (Health) at Griffith University and currently professor emeritus at Griffith University

PhD, BSc (Hons), FAHSM, FASM, FAIMS, FIBMS, FCHSM, MACID



Winton Willesse
Non-Executive Director

Experienced company director with over 20 years experience in various roles within the Australian capital markets

Core expertise in strategy, company development, corporate governance, company public listings, merger and acquisition transactions and corporate finance

MCom, FFin, CPA, GAICD, FGIA/FCG



Gerald Quigley
Non-Executive Director

Pharmacist and consumer health commentator.

Leading media health commentator heard each week on television and radio stations across Australia.

Extensive knowledge relating to pharmaceutical/nutraceutical product development, dispensing & marketing in addition to product positioning within the relevant regulatory landscapes (eg. TGA, FDA).

B(Pharm)



Dr Alexandra Andrews
COO

Expertise in corporate development, investor engagement, product development and commercialisation, clinical trials and regulatory environments.

Former Director of Operations at NeuroScientific Biopharmaceuticals Ltd.

PhD Neuroscience, BBMed Sci (Hons1st)

Capital Raise



Structure

PRO-FORMA CAPITAL STRUCTURE - \$9 Million Placement	
Current Shares on Issue	717.7M
Current Options Outstanding	123.1M
New Shares	90.0M
New Options ¹	55.0M
Pro-Forma Shares on Issue (fully diluted)	985.8M
Pro-Forma Cash ²	\$10.4M
Pro-Forma Enterprise Value ³	\$88.2M

1. New Options include 45,000,000 issued to shareholders under the Transaction as well as an additional 10,000,000 issued to the JLMs on the same terms
2. Cash at 30 June 2022 - \$1.9 million, Placement of \$9.0 million minimum, transaction costs of \$(0.5) million
3. Assumes \$0.10 share price
4. The Company has also agreed to issue 35 million adviser options, 30 million director options and 33 million licensor shares, subject to shareholder approval

Event	Date
Trading Halt (For Clinical Trial results + Transaction)	Tuesday 25 October 2022
Placement Bookbuild Commences	Tuesday 25 October 2022
Allocations and Signed Acceptances	Thursday 27 October 2022
ASX Announcement – Transaction, Investor Presentation, Trading Halt Lifted	Friday 28 October 2022
Settlement of Placement Shares	Thursday 3 November 2022
Allotment of Placement Shares on ASX & Commencement of Trading	Friday 4 November 2022
Allotment of Placement Options	Friday 3 December 2022

* Timetable is indicative and subject to change

Use of Funds

EVENT	ALLOCATION OF FUNDS (PLACEMENT)
Phase II/III ASD Trial	\$3.0M
Phase I/II PANS/PANDAS Trial	\$0.5M
Phase I/II CP Trial	\$0.5M
Regulatory / FDA IND	\$1.0M
Manufacturing / Production	\$0.5M
Working Capital	\$3.0M
Offer Costs / Other	\$0.5M
TOTAL	\$9.0M



Neurotech

International

Contact Details

Dr Tom Duthy
Executive Director
td@neurotechinternational.com
+61 402 493 727

*This presentation has been authorised by the Board of Neurotech International Limited

www.neurotechinternational.com
www.mentetech.com

Neurotech International Limited (ASX: NTI)